Subject Index—Volume 29
Page numbers preceded by S1 through S5 refer to Supplements 1 through 5

A

abdomen, three-dimensional spiral computed tomographic angiography of, Suppl 2:S261
abdominal contrast studies, detection of plain film abnormalities, 403
abdominal masses, in eight-year-old boy, 656
academic radiology
  impact of health care reform, 790
  progress in, 258
albunex
  noncardiac applications, Suppl 2:S145
  as ultrasound contrast media, Suppl 2:S142
American Association of Academic Chief Residents in Radiology report, 521
1993 American Association of Chief of Residents in Radiology Problem-Solving Report, 376
American College of Radiology Diagnostic Radiology In-Training Examination, 726
AMI-227, as oral contrast agent for magnetic resonance imaging, Suppl 2:S81
anemia, small vessel diameter and cerebral blood flow during, color Doppler ultrasound of, 188
angiography
  breath-holding capability and, 848
  carotid. See carotid angiography
  magnetic resonance. See magnetic resonance angiography
  spiral computed tomographic. See spiral computed tomographic angiography
  visceral. See visceral angiography
animal studies
  acute liver transplantation rejection, Suppl 2:S297
  assessment of coronary artery patency in dog model of occlusion-reperfusion, 168
  assessment of ventricular volumes using cine magnetic resonance, 162
  attachment of magnetic starch microspheres to Kuppfer cell receptors, Suppl 2:S223
  bone formation during distraction osteogenesis, 933
  cardiac and hemodynamic tolerability of iopromide and ioversol, 978
  changes in small vessel diameter and cerebral blood flow during acute anemia, 188
  computed tomography for detection of small pulmonary emboli, 184
  computed tomography of experimental liver metastases, 963
  dose requirements for nonionic contrast agent for spiral computed tomography, 195
  effects of iodinated contrast agents on formation of platelet thrombi, Suppl 2:S203
  effects of iotrolan, iopamidol, and iopromide in rats, Suppl 2:S111
  effects of nonionic contrast media on twitching reaction of rat, 985
  effects of vasoconstrictors on coronary arteries, 1015
  elimination of gadolinium-ethoxybenzyl-DTPA in model of impaired liver and kidney excretory function, 213
  gas emulsions as ultrasound contrast agents, Suppl 2:S139
  hemodynamic effects of magnetic resonance contrast media in intravenous bolus injection, Suppl 2:S189
  iobitridol biodistribution in rats, 1057
  kinetics and magnetic resonance imaging of gadolinium-EOB-DTPA, Suppl 2:S177
  lactate and pH mapping in calf muscles during ischemia/reperfusion, 217
  liver enhancement techniques in computed tomography, Suppl 2:S289
  magnetic resonance imaging and spectroscopy of small ring-enhancing lesions, 301
  magnetic resonance lymphography, 364
  magnetic resonance microscopy of carotid artery, 822
  measurement of lactate in acutely ischemic kidneys using magnetic resonance spectroscopy, 24
  multimodality correlative study of canine brain tumors, 597
  neonatal pneumothorax, 558
  percutaneous computed tomographic lymphography of cancerous nodes, Suppl 2:S30
  potentiation of bradykinin-induced pain in rat, 294
  refinement of thermocholecystectomy technique, 355
  renal tolerance of gadolinium-DOTA and gadolinium-DTPA, 352
  shunting from hepatic artery to portal vein, 671
  toxicity of lipiodol infusion into hepatic arteries, 882
  transcatheter tubal sterilization, 570
  transventricular absorption in hydrocephalic dog, 287
  tubal sterilization by selective catheterization, 156
antiscatter grids, effectiveness in digital radiography, 636
aortofemoral arteriography, ioxilan injection and, Suppl 2:S40
aortography, iopromide in, safety, tolerance, and diagnostic efficacy, Suppl 1:S98
arterial lesions, calcified, in vitro correlation of intravascular ultrasound and direct magnification radiography, 420
arteries, trans-stenotic gradients, pressure-recording guide wire for measurements, 178
arteriography
  aortofemoral. See aortofemoral arteriography
  cerebral. See cerebral arteriography
  coronary. See coronary arteriography
  digital subtraction. See digital subtraction arteriography
  peripheral. See peripheral arteriography
Association of Program Directors in Radiology report, 372
Australia, medical registration and recognition as specialist in radiology in, 387
autoradiography, whole body quantitative, biodistribution of iobitridol in rats and, 1057

B

barium sulfate, gastrointestinal radiology and, 472
benign prostatic hyperplasia, therapeutic alternatives, 224
blood-brain barrier, contrast-medium-induced damage, Suppl 2:S105
blood-pool imaging
  nanocrystalline computed tomography contrast agents for, Suppl 2:S286
  nanoparticulate contrast media and, Suppl 2:S280
blood pool radiopaque polymers, Suppl 2:S271
blood pool tracers, magnetic resonance, paramagnetic dextrans as, Suppl 2:S90
bone
  focal lesions, diagnosis using neural networks, 606
  formation during distraction osteogenesis, ultrasound mean acoustic attenuation and, 933
  serial densitometry, interpretation of, 928
bone marrow
  dual-energy quantitative computed tomography technique and, 695
  magnetic resonance imaging of changes after irradiation, 35

bone mineral status, after renal transplantation, assessment by noninvasive techniques, 127
book reviews
Chest and Cardiac Imaging--An Atlas of Differential Diagnosis (Eisenberg), 523
Clinical Magnetic Resonance Angiography (Anderson, Edelmann, & Turski), 730
Diagnostic Imaging (Armstrong & Wastie), 400
Diagnostic Imaging of Infants and Children (Sty, Wells, Starshak, & Gregg), 730
Gastrointestinal Radiology (Farman), 122
Image Processing Handbook (Russ), 870
Medicine, Money and Morals. Physicians' Conflicts of Interest (Rodwin), 123
MR Angiography: A Teaching File (Brant-Zawadzki, Boyko, Jensen, & Gillan), 662
MRI of the Abdomen with CT Correlation (Semelka & Shoenut), 523
MRI of the Body: The Raven MRI Teaching File (Fritzsche & Stark), 870
Percutaneous Breast Biopsy (Parker & Jobe), 662
Teaching Atlas of Breast Ultrasound (Leucht), 123
Ultrasound in Obstetrics and Gynecology (Chervenak, Isaacson, & Campbell), 400
brain, cerebral blood volume changes, gadopentetate-dimeglumine-enhanced magnetic resonance imaging and, Suppl 2:S157
brain tumors
canine, multimodality correlative study of, 597
case-based instructional system for computed tomography and magnetic resonance imaging of, 497
breast
contrast-enhanced magnetic resonance imaging of, 94
tumor angiogenesis and, 1043
gadopentetate-dimeglumine-enhanced magnetic resonance imaging of, Suppl 2:S302
implants, imaging, 781
mammographic phantom images, subjective evaluations by three observer groups, 42
measurement of optical parameters using time-resolved spectroscopy, 410
breast imaging fellowship programs, 415
breast mass, densely calcified, 516
breast tissue, attenuation of monochromatic x-rays by normal and abnormal, 266
breath-holding capability, implications for imaging, 848

C

calcium, effects of vasoconstrictors on coronary arteries and, 1015
cancer, lung, differentiation, Suppl 2:S255
cancer surgery planning, spiral computed tomography arterial portography for, 1031
capillary permeability
contrast-enhanced magnetic resonance imaging estimation of, 970
macromolecular magnetic resonance imaging contrast media and, Suppl 2:S8
myocardial, iohexol and, 612
carbon dioxide, as angiographic contrast agent, Suppl 2:S45
carbon dioxide gas perfusion, thermal distribution of sapphire probe and, 553
cardiac volumetry, 994
carotid angiography, decrease of intracarotid pressure during, Suppl 2:S96
carotid artery, magnetic resonance microscopy of, 822
central nervous system, magnetic resonance imaging of, gadodiamide injection and, Suppl 2:S186
cerebral angiography, iodixanol 320 and iohexol 300 for, comparison of, Suppl 2:S43
cerebral arteriography, iopromide in, safety and efficacy, Suppl 1:S94
cerebral blood flow, during acute anemia, color Doppler ultrasound of, 188
cerebral blood volume, gadopentetate-dimeglumine-enhanced magnetic resonance imaging and, Suppl 2:S157
cerebral perfusion, magnetic resonance imaging of, sprodiamide-injection-enhanced, Suppl 2:S24
chest imaging, bedside, parallel hole grid for, 682
chest mass, patient with leukemia with hemoptysis and, 940
chest phantoms, anthropomorphic, superimposed peripheral pulmonary vasculature in, 466
chest radiograph
Bayesian restoration of, 904
interpretation in young febrile children, bias and overcall in, 253
portable, receiver operating characteristic analysis of computer display, 141
chest radiography
advanced multiple-beam equalization, 1020
low-density supradiaphragmatic band artifact on, 777
interstitial lung abnormalities in, image analyzing system for, 172
chest radiology, practice in departments with residency programs, 48
chromosome damage, nonionic contrast media and, Suppl 2:S206
cine computed tomography. See computed tomography, cine
cine magnetic resonance. See magnetic resonance, cine
computed tomographic portography, Suppl 2:S289
computed tomography
accuracy of volume measurements of phantoms, 739
calcified gallstone dissolution and, 448
case-based instructional system for brain tumors, 497
cine
assessment of coronary artery patency using, 168
mitral valve area and, 827
computerized detection of pulmonary nodules, 459
contrast-enhanced
comparison of iopromide with iopamidol and iohexol for, Suppl 1:S76
of liver, ioxilan carbonate particles in, 1006
pulmonary emboli detection and, 184
renal perfusion quantified with, Suppl 2:S232
contrast media
for blood-pool and liver-spleen imaging, Suppl 2:S286
pancreatic, 689
cranial, compression methods, 842
dual-energy quantitative technique, bone marrow composition and, 695
dynamic, tumor blood flow measured using, 873
dynamic quantitative
intrarenal perfusion and, 904
pulmonary function in obstructive lung disease and, 565
effect of storage on attenuation of gallstones, 307
experimental liver metastases and, 963
fast x-ray, myocardial capillary permeability to iohexol and, 612
fracture displacement phantom and, 665
hepatic, targeted polyiodinated triglycerides for, Suppl 2:S284
liver enhancement techniques, Suppl 2:S289
with poly(d,l-lactide)-microencapsulated contrast media, Suppl 2:S267
spiral
of liver, dose requirements of nonionic contrast agent, 195
oncologic surgery planning and, 1031

ultrafast, automatic edge detection/volume computation of left ventricle and, 945
contrast imaging, current considerations, Suppl 1:S3
contrast media, Suppl 1:S4
algogenic potential in peripheral arteriography, 294
angiographic, carbon dioxide as, Suppl 2:S45
blood-brain barrier damage and, Suppl 2:S105
blood-pool, magnetic resonance angiography and, Suppl 2:S65
computed tomography
for blood-pool and liver-spleen imaging, Suppl 2:S286
pancreatic, 689
effect on granulocyte phagocytosis of Escherichia coli, 68
effect on leukocyte motility, 65
effect on platelet activation, Suppl 2:S198
intravascular, vascular endothelial injury and, Suppl 2:S195
intravenous toxicity studies, factor time in, Suppl 2:S108
iodinated
adverse reactions, Suppl 1:S46
asymmetric dimers, Suppl 2:S264
cardiorespiratory responses elicited by right atrial injections, 201
coronary microvascular responses, 877
current and emerging roles, Suppl 1:S3
effects on renal epithelial cells in culture, 955
formation of platelet thrombi and, Suppl 2:S203
safety and efficacy, Suppl 1:S33
low-osmolar, erythrocyte membrane elasticity and, 1026
macromolecular
acute liver transplantation rejection and, Suppl 2:S297
paramagnetic, myocardial perfusion assessment and, Suppl 2:S54
quantification of capillary permeability and, Suppl 2:S8
magnetic resonance imaging
AMI-227 as, Suppl 2:S81
block co-polymeric, Suppl 2:S217
cost-containment and cost-effectiveness in developing, Suppl 2:S257
electron paramagnetic resonance/water exchange-rate data and, Suppl 2:S127
evaluating experimental and approved, Suppl 2:S83
experimental approach to intra-arterial, Suppl 2:S245
hemodynamic effects of intravenous bolus injection, Suppl 2:S189
iron-oxide-based, Suppl 2:S214
ionic and nonionic, comparison of cardiovascular response to, 319
ischemic myocardial disease and, Suppl 2:S294
liposomes bearing manganese complexes as, Suppl 2:S168
macrocyclic gadolinium-DTPA-bis(amide) complexes, Suppl 2:S18
macromolecular, Suppl 2:S62
macromolecular infarct-specific, Suppl 2:S15
manganese hydroxylapatite as, Suppl 2:S251
optimization of negative oral, Suppl 2:S120
oral magnetic particle formulation, 81
paramagnetic, 330
magnetic resonance imaging-guided noninvasive ultrasound surgery and, 897
modulation of expression of granulocyte adhesion molecule and, 313
nanoparticulate, blood-pool and liver-spleen imaging and, Suppl 2:S280
nonionic
chromosome damage and, Suppl 2:S206
for digital subtraction arteriography, Suppl 1:S84
dose requirements for spiral computed tomography of liver, 195
trends and experience with iopromide, Suppl 1:S112
twitching reaction of rat and, 985
physicochemical parameters, 72
plasminogen activation and, 705
poly(d,l-lactide)-microencapsulated, liver enhancement with, Suppl 2:S267
reactions to, etiology, Suppl 1:S37
toxicity, nitric oxide and, Suppl 2:S102
ultrasound
albunex as, Suppl 2:S142
echoicity in solutions, Suppl 2:S137
gas emulsions as, Suppl 2:S139
gas-filled lipid bilayers as, Suppl 2:S134
polymeric microballoons as, Suppl 2:S149
use and regulation, Suppl 1:S64
white blood cell imaging and, Suppl 2:S36
x-ray
anticoagulation mechanisms of, Suppl 2:S201
nonionic dimer, Suppl 2:S230
nonionic triiodinated, Suppl 2:S275
coronary angiography, 480
coronary angioplasty, percutaneous transluminal. See percutaneous transluminal
coronary angioplasty
coronary arteries
effects of vasoconstrictors, 1015
calcification, fluoroscopic readings, reproducibility, 147
patency, assessment using cine computed tomography, 168
coronary arteriography, iopromide in, comparison with iohexol and iopamidol, Suppl 1:S107
coronary hydroxyapatite, quantifying with electron beam tomography, 733
corpus callosum, midsagittal magnetic resonance scans, 677
cranial asymmetry, child with intractable seizures and, 113
craniofacial imaging and modeling, semiautomated three-dimensional, 150
craniosynostosis, binary nature and radiographic identifiability of, 890

D

Department of Radiology Quality Assessment Meeting report, 378
dextrans, paramagnetic, as magnetic resonance blood pool tracers, Suppl 2:S90
dialysis, magnetic resonance spectroscopy and, 758
diatrizoate, effects on microcirculation, elimination of, 922
digital dictation system, integration with network data base for radiologic teaching files, 652
digital mammography, technology transfer in, 507
digital radiography, effectiveness of antiscatter grids, 636
digital region-of-interest processing technique, comparison of angiographic opacification of ioxaglate and iodixanol, 31
digital subtraction arteriography, nonionic contrast agent for, Suppl 1:S84
digital subtraction fluoroscopy, for coronary artery calcification, 147
digital x-ray angiography, volume blood flow measurement validation and, 434
direct magnification radiography, in vitro correlation with intravascular ultrasound for calcified arterial lesions, 420
distraction osteogenesis, bone formation during, ultrasound mean acoustic attenuation and, 933
duplex sonography, segmental stenosis of renal artery and, 390

E

edetic acid preparations, calcified gallstone dissolution and, 454
education
  audit of clinico-radiologic conferences, 859
  calculating costs of undergraduate medical education in radiology, 856
  digital dictation system/network data base for radiologic teaching files, 652
  evaluation of computer-based program in teaching cardiac anatomy, 248
  trends in European radiologic education in 1993, 109
electrolytes, effects of vasoconstrictors on coronary arteries and, 1015
electron beam tomography, quantifying coronary hydroxyapatite with, 733
electron paramagnetic resonance, small magnetic resonance 'maging contrast agents and, Suppl 2:S127
elliptic Fourier analysis, 677
emboli, pulmonary, computed tomography for detection of, 184
embolic agents, hydrogel, 746
erythrocyte membrane elasticity, low-osmolar contrast media and, 1026
Escherichia coli, granulocyte phagocytosis, radiographic contrast media and, 68
esophageal sphincter narrowing, experimental manometric study simulating, 630
ethanol, transthoracic percutaneous injection into liver, 839
Europe, trends in radiologic education in 1993, 109
event control, 590
excretory urography
  induction of micronuclei in lymphocytes and, 210
  iopromide for, efficacy and safety, Suppl 1:S68

F

Fellows of the Society of Breast Imaging fellowship programs, 415
femur, distal, central osteophytes of, 1001
flow cytometry, platelet membrane glycoproteins and, Suppl 2:S198
fluoroscopy
  of beating heart, analysis of edge-tracking errors, 273
  digital subtraction. See digital subtraction fluoroscopy
fractal analysis
  of renal cortical perfusion, 16
  of trabecular patterns in projection radiographs, 624
fracture displacement phantom, spiral computed tomography vs computed tomography, 665
France, management audit in radiology department, 797
funding opportunities in radiology, 1
furosemide, intrarenal distribution of ultrasmall superparamagnetic iron oxide particles and, 540

G

gadobenate dimeglumine, binding to extravasated proteins, Suppl 2: S50
gadobutrol, pharmacokinetics, dose proportionality, and tolerability, 709
gadodiamide, magnetic resonance imaging of central nervous system and, Suppl 2:S186
gadolinium
  aromatic macrocyclic, chelation with enhanced relaxivity, Suppl 2: S69
  dissociation from protein-DTPA-gadolinium complexes, Suppl 2: S58
gadolinium chelates
  for magnetic resonance imaging, question of dose, Suppl 2:S154
  magnetic resonance spectroscopy of liver and, 752
gadolinium complexes
  interaction with metal-dependent biological systems, Suppl 2:S164
  lipophilic, Suppl 2:S245
gadolinium-DOTA, renal tolerance in rats, 352
gadolinium-DOTA renal pharmacokinetic study, factor analysis in transplanted kidney and phantom, Suppl 2:S174
gadolinium-DTPA, renal tolerance in rats, 352
gadolinium-DTPA-bis(amide) complexes, as magnetic resonance imaging contrast agents, Suppl 2:S18
gadolinium-DTPA-iodized oil, Suppl 2:S245
gadolinium-EOB-DTPA
  elimination in model of impaired liver and kidney excretory function, 213
  magnetic resonance imaging and, Suppl 2:S177
gadolinium (III) texaphyrin complex, preclinical evaluation, 330
gadopentetate dimeglumine
  phase II clinical testing, interim results, Suppl 2:S183
  proton magnetization transfer in protein solutions/tissues and, Suppl 2:S247
  safety review, Suppl 2:S179
gallbladder, variation in estimation of volume using sum-of-cylinders method, 536
gallstones
  calcified, dissolution, 448, 454
  computed tomography attenuation of, effect of storage on, 307
gastrointestinal contrast agent, oral magnetic particle formulation for magnetic
resonance imaging, 81
gastrointestinal radiology, barium sulfate and, 472
gel-saline implants, imaging, 781
glomerular filtration rate, iohexol clearance to determine, Suppl 2:S2, S234
granulocyte adhesion molecule, modulation of expression by percutaneous transluminal coronary angioplasty and contrast media, 313
granulocyte phagocytosis, of Escherichia coli, radiographic contrast media and, 68

H

head and neck, spiral computed tomographic angiography of, Suppl 2: S261
heart
  cardiac volumetry, 994
  computer-based program in teaching anatomy, 248
  contractility/electrophysiology, iodixanol, iopamidol, ioxaglate and, Suppl 2:S99
  coronary arteries, effects of vasoconstrictors, 1015
  fluoroscopic images, analysis of edge-tracking errors, 273
  ischemic injury after reperfusion, magnetic resonance imaging and, 527
  ischemic myocardial disease, magnetic resonance contrast media and, Suppl 2:S294
  left ventricle, automatic edge detection/volume computation of, 945
  microvascular responses to iodinated contrast media, 877
  myocardial motion tracking, cine-phase contrast magnetic resonance imaging, 1038
  ventricles, magnetic resonance measurement of volumes, 787
hepatic arteries, toxicity of lipiodol infusion into, 882
hydrogel embolic agents, 746
hydroxyapatite, coronary, quantifying with electron beam tomography, 733

hyperoxia, magnetic resonance measurement of response to, tumor differentiation from normal tissue and, Suppl 2:S161
hyperparathyroidism, supraclavicular mass in woman with, 244

I

Ilizarov method, 933
iloprost
  cardiac and hemodynamic tolerability of iopromide and, 978
  diatrizoate-induced effects on microcirculation and, 922
imaging. See specific technique
imaging procedure selection, case-based reasoning and, 643
inferior vena cava filters, in vitro metal fatigue testing of, 817
interstitial disease, receiver operating characteristic analysis of, 1020
intracranial metastatic disease, magnetic resonance imaging of, 1050
intravascular ultrasound, in vitro correlation with direct magnification radiography for calcified arterial lesions, 420
iobitridol, biodistribution in rats, 1057
iodipamide ethyl ester particle injection, liver enhancement in computed tomography and, Suppl 2:S289
iodixanol
  angiographic opacification by digital region-of-interest processing technique, 31
  coronary injections, effects on contractility/electrophysiology, Suppl 2:S99
  experience in 1259 patients, Suppl 2:S236
iodixanol 320, for cerebral angiography, Suppl 2:S43
iodized oil embolization, role of Kupffer cells in, 990
iohexol
  in contrast-enhanced computed tomography, Suppl 1:S76
  in coronary arteriography and left ventriculography, Suppl 1:S107
  effects of vasoconstrictors on coronary arteries and, 1015
  myocardial capillary permeability to, 612
  in peripheral arteriography, double-blind study, Suppl 1:S102
  in peripheral venography, safety, tolerability, and efficacy, Suppl 1: S74
  in visceral angiography and aortography, Suppl 1:S98
iohexol 300, in cerebral angiography, Suppl 2:S43
iohexol clearance, determining glomerular filtration rate, Suppl 2:S2, S234
iopamidol
  in contrast-enhanced computed tomography, Suppl 1:S76
  in coronary arteriography and left ventriculography, Suppl 1:S107
  coronary injections, effects on contractility/electrophysiology, Suppl 2:S99
  effects in rats, Suppl 2:S111
  erythrocyte membrane elasticity and, 1026
  in peripheral arteriography, double-blind study, Suppl 1:S102
  in visceral angiography and aortography, Suppl 1:S98
iopromide
  cardiac and hemodynamic tolerability of, 978
  in cerebral arteriography, safety and efficacy, Suppl 1:S94
  clinical trial experience with, Suppl 2:S208
  comparison with iohexol and iopamidol, Suppl 1:S107
  in contrast-enhanced computed tomography, Suppl 1:S76
  in coronary arteriography and left ventriculography, Suppl 1:S107
  effects in rats, Suppl 2:S111
  in excretory urography, efficacy and safety, Suppl 1:S68
  in peripheral venography, safety, tolerability, and efficacy, Suppl 1: S74
  preclinical characterization, Suppl 1:S21
  trends and experience with, Suppl 1:S112
  in visceral angiography and aortography, safety, tolerance, efficacy, Suppl 1:S98
iopromide 300, in peripheral arteriography, double-blind study, Suppl 1:S102
iotrolan, effects in rats, Suppl 2:S111
ioversol
  cardiac and hemodynamic tolerability of, 978
  micronuclei induction in lymphocytes during excretory urography and, 210
  in peripheral venography, safety, tolerability, and efficacy, Suppl 1: S74
ioxaglate
  angiographic opacification by digital region-of-interest processing technique, 31
  coronary injections, effects on contractility and electrophysiology, Suppl 2:S99
  erythrocyte membrane elasticity and, 1026
ioxilan, aortofemoral arteriography and, Suppl 2:S40
ioxilan carbonate particles, contrast-enhanced computed tomography of liver and, 1006
iron oxide
  contrast enhancement with, Suppl 2:S75
  particulate, spatial distribution in proton relaxation enhancement, Suppl 2:S78
  superparamagnetic
    effects on liver and spleen imaging, Suppl 2:S21
    for liver imaging, 339
    for magnetic resonance imaging, Suppl 2:S87
iron oxide particles, ultrasmall superparamagnetic, intrarenal distribution, 540
irradiation, bone marrow, magnetic resonance imaging of changes, 35

K

kidney
  determining glomerular filtration rate using iohexol clearance, Suppl 2:S2, S234
  diffuse disease, detection of parenchymal structural change, 134
  distribution of ultrasmall superparamagnetic iron oxide particles, 540
  epithelial cells in culture, effects of iodinated x-ray contast media, 955
  experimental nephropathy, iotrolan, iopamidol, iopromide and, Suppl 2:S111
  fractal analysis of renal cortical perfusion, 16
  hemodynamic functions, noninvasive measurement, Suppl 2:S123
  impaired excretory function, elimination of gadolinium-ethoxybenzyl-DTPA and, 213
  intrarenal perfusion, quantitative dynamic computed tomography and, 904
  ischemic, measurement of lactate using magnetic resonance spectroscopy, 24
  perfusion quantified with contrast-enhanced computed tomography, Suppl 2:S232
  radiocontrast-induced nephropathy, dual-labeled radionuclide clearance and, 618
  tolerance of gadolinium-DOTA and gadolinium-DTPA in rats, 352
  transplantation. See renal transplantation
Kupffer cells, role in iodized oil embolization, 990

L

lactate
  mapping in calf muscles during ischemia/reperfusion, 217
  measurement in ischemic kidneys using magnetic resonance spectroscopy, 24

Laplacian-Gaussian filtering, 172
laser-induced interstitial thermotherapy, magnetic resonance imaging-controlled, 345
left ventricle, automatic edge detection and volume computation of, 945
left ventriculography, iopromide compared with iohexol and iopamidol, Suppl 1:S107
letter to the editor, 525
leukemia with hemoptysis, chest mass in patient with, 940
leukocytes
  motility, effect of radiographic contrast media, 65
  technetium-HMPAO-labeled, radiation dosimetry and normal value study of, 443
lipid bilayers, gas-filled as ultrasound contrast agents, Suppl 2:S134
lipid emulsions, iodinated hepatocyte-specific, computed tomography and, 963
lipiodol, toxicity of infusion into hepatic arteries, 882
lipophilic gadolinium complex, Suppl 2:S245
liposomes, as magnetic resonance contrast agents, Suppl 2:S168
liver
  attachment of magnetic starch microspheres to Kuppfer cell receptors, Suppl 2:S223
  computed tomographic enhancement, Suppl 2:S267
    ioxilan carbonate particles in, 1006
    targeted polyiodinated triglycerides and, Suppl 2:S284
    techniques, Suppl 2:S289
  experimental metastases, computed tomography of, 963
  generating normalized geometric model using warping, 281
  impaired excretory function, elimination of gadolinium-ethoxybenzyl-DTPA and, 213
  interstitial laser photocoagulation and, 915
  magnetic resonance spectroscopy of, gadolinium chelates and, 752
  pathways for shunting from hepatic artery to portal vein, 671
  spiral computed tomography, dose requirements for nonionic contrast agent, 195
  transplantation rejection, Suppl 2:S297
  transthoracic percutaneous ethanol injection into, 839
liver imaging
  manganese hydroxylapatite as magnetic resonance contrast agent for, Suppl 2:S251
  nanocrystalline computed tomography contrast agents for, Suppl 2:S286
  nanoparticulate contrast media for, Suppl 2:S280
  superparamagnetic iron oxide for, Suppl 2:S21
    comparison of preparations, 339
  ultrasound contrast agents for, Suppl 2:S149
lung
  computerized detection of pulmonary nodules in computed tomography images, 459
  interstitial abnormalities in chest radiography, image analyzing system for, 172
  obstructive disease, dynamic quantitative computed tomography and, 565
  superimposed peripheral pulmonary vasculature in chest phantoms, 466
lung cancer, differentiation, Suppl 2:S255
lymph nodes
  benign hyperplasia and metastases, magnetic resonance lymphography and, 364
  cancerous, percutaneous computed tomographic lymphography and, Suppl 2:S30
lymphocytes, induction of micronuclei in, ioversol and, 210
lymphography
  computed tomographic. See computed tomographic lymphography
  indirect with perflubron emulsion, Suppl 2:S33
  magnetic resonance. See magnetic resonance lymphography

M

magnetic resonance angiography
  single breath-hold pulmonary, 766
  three-dimensional time-of-flight, blood-pool contrast agents in, Suppl 2:S65
magnetic resonance chemical shift imaging, lactate and pH mapping in calf muscles
during ischemia/reperfusion and, 217
magnetic resonance imaging
  accuracy of volume measurements of phantoms, 739
  acute liver transplantation rejection and, Suppl 2:S297
  AMI-227 as oral contrast agent for, Suppl 2:S81
  bone marrow changes after irradiation and, 35
  breast implants and, 781
  case-based instructional system for brain tumors, 497
  of central nervous system, gadodiamide injection and, Suppl 2:S186
  of cerebral perfusion, sprodiamide-injection-enhanced, Suppl 2:S24
  cine
    assessment of ventricular volumes using, 162
    cardiac volumetry and, 994
  cine-phase contrast, myocardial motion tracking and, A
  contrast agent development, cost-containment/cost-effectiveness in, Suppl 2:S257
  contrast-enhanced
    altered capillary permeability and, 970
    ischemic injury after reperfusion and, 527
  contrast-enhanced of breast, 94
    tumor angiogenesis and, 1043
  contrast media
    block co-polymeric, Suppl 2:S217
    electron paramagnetic resonance/water exchange-rate data and, Suppl 2:S127
    evaluating experimental and approved, Suppl 2:S83
    experimental approach to intra-arterial, Suppl 2:S245
    gastrointestinal, oral magnetic particle formulation as, 81
    hemodynamic effects of intravenous bolus injection, Suppl 2:S189
    ionic and nonionic, comparison of cardiovascular responses to, 319
    iron-oxide-based, Suppl 2:S214
    ischemic myocardial disease and, Suppl 2:S294
    liposomes bearing manganese complexes as, Suppl 2:S168
    macrocyclic gadolinium-DTPA-bis(amide) complexes, Suppl 2:S18
    macromolecular, Suppl 2:S8, S62
    macromolecular infarct-specific, Suppl 2:S15
    manganese hydroxylapatite as, Suppl 2:S251
    paramagnetic, 330
    superparamagnetic iron oxide, Suppl 2:S87
  diagnostic performance for diagnosis of rotator cuff tears, 87
  fast-acquisition, breath-holding capability and, 848
  gadolinium chelates for, question of dose, Suppl 2:S154
  gadolinium-enhanced, renal hemodynamic function measurements and, Suppl 2:S123
  gadolinium-EOB-DTPA and, Suppl 2:S177
  gadopentetate-dimeglumine-enhanced
    breast and, Suppl 2:S302
    cerebral blood volume changes and, Suppl 2:S157
    lung nodules and, Suppl 2:S255
  intracranial metastatic disease and, 1050

intrarenal distribution of superparamagnetic iron oxide particles and, 540
macromolecular contrast media for, Suppl 2:S62
quantification of capillary permeability to, Suppl 2:S8
measurement of volumes using a phantom, 787
midsagittal, corpus callosum and, 677
narrow bandwidth, tissue lipid quantification with presaturation pulse, 361
optimization of negative oral contrast agent, Suppl 2:S120
small ring-enhancing lesions and, 301
spin-echo, effects of superparamagnetic iron oxide, Suppl 2:S21
splenic, particular agents in, Suppl 2:S12
subsecond, myocardial perfusion assessment and, Suppl 2:S54
transventricular absorption in hydrocephalic dog and, 287
tumor differentiation from normal tissue and, Suppl 2:S161
magnetic resonance imaging-controlled laser-induced interstitial thermotherapy, 345
magnetic resonance lymphography, 364
enhancement patterns using superparamagnetic nanoparticles, Suppl 2:S226
magnetic resonance microscopy, of carotid artery, 822
magnetic resonance spectroscopy
fluorine-19, in vivo pH measurements and, Suppl 2:S220
of liver, gadolinium chelates and, 752
measurement of lactate in acutely ischemic kidneys using, 24
proton, canine brain tumors and, 597
reproducibility in patients undergoing dialysis, 758
small ring-enhancing lesions and, 301
therapeutic responses of tumors and, 758
magnetic resonance tagging, myocardial strain calculation by, semiautomated versus
manual image segmentation errors and, 427
magnetoferritin, design of magnetic resonance contrast agents and, Suppl 2:S214
mammary adenocarcinoma, experimental, quantification of capillary permeability to contrast media in, Suppl 2:S8
mammary carcinoma, experimental, altered capillary permeability and, 970
mammographic accreditation phantom images, subjective evaluations, 42
mammography, digital, technology transfer in, 507
manganese, membrane-bound, as magnetic resonance contrast agent, Suppl 2:S168
manganese dipyridoxal diphosphate
biodistribution and in vivo stability in relation to imaging efficacy, Suppl 2:S249
enhancement of pancreas and diagnosis of pancreatitis using, Suppl 2:S300
manganese hydroxylapatite, as magnetic resonance contrast agent for liver imaging, Suppl 2:S251
medical outcomes, management, cost-benefit considerations and, Suppl 1:S59
methyl tert-butyl ether, calcified gallstone dissolution and, 448, 454
microcirculation, diatrizoate-induced effects on, elimination of, 922
mitral balloon commissurotomy, prediction of change in mitral valve area after, 827
musculoskeletal structures, spin-echo imaging in children and young adults, 803
myocardial capillary permeability, iohexol and, 612
myocardial disease, ischemic, magnetic resonance contrast media and, Suppl 2:S294
myocardial motion tracking, cine-phase contrast magnetic resonance imaging and, 1038
myocardial perfusion, assessment by magnetic resonance imaging, Suppl 2:S54
myocardial strain calculation, by magnetic resonance tagging, semiautomated versus
manual image segmentation errors and, 427

N

National Cancer Institute-National Aeronautics and Space Administration Workshop report, 507
neonatal pneumothorax, animal model simulating, 558
nephropathy
experimental, iotrolan, iopamidol, iopromide and, Suppl 2:S111
radiocontrast-induced, analysis by dual-labeled radionuclide clearance, 618
network data base, integration with digital dictation system for radiologic teaching files, 652
neural networks, diagnosis of bone lesions using, 606
nitric oxide, contrast material toxicity and, Suppl 2:S102
noise, effect on detection of rib fractures, 54

O

obstructive lung disease, dynamic quantitative computed tomography as predictor of pulmonary function, 565
oncologic surgery planning, spiral computed tomography arterial portography for, 1031
osteogenesis, bone formation during, ultrasound mean acoustic attenuation and, 933
osteophytes, central of distal femur, 1001

P

pancreas
enhancement using manganese dipyridoxal diphosphate, Suppl 2:S300
exocrine function, imaging, 689
pancreatitis, diagnosis using manganese dipyridoxal diphosphate, Suppl 2:S300
pelvis, three-dimensional spiral computed tomographic angiography of, Suppl 2:S261
percutaneous catheters, substrate uptake and distribution by tumors and, 834
percutaneous thrombectomy, prototype rheolytic catheter for, 547
percutaneous transluminal coronary angioplasty, modulation of expression of granulocyte adhesion molecule and, 313
perflubron emulsion, indirect lymphography with, Suppl 2:S33
peribiliary plexa, 671
peripheral arteriography
contrast media algogenic potential in, 294
iopromide 300 in, double-blind study, Suppl 1:S102
peripheral venography, iopromide, iohexol, ioversol in, Suppl 1:S74
pH
mapping in calf muscles during ischemia/reperfusion, 217
in vivo measurements, Suppl 2:S220
phagocytosis, of Escherichia coli, effect of radiographic contrast media, 68
photocoagulation, hepatic interstitial laser, 915
plasminogen activation, contrast media and, 705
platelet activation, contrast media and, Suppl 2:S198
platelet thrombi, formation, iodinated contrast agents and, Suppl 2:S203
pneumothorax, neonatal, animal model simulating, 558
polylysine-gadopentetate dimeglumine, blood pharmacokinetics and

enhancement patterns for, molecular weight and, Suppl 2:S62
positron emission tomography, canine brain tumors and, 597
preclinical testing, principles and aims, Suppl 1:S15
prostate, benign hyperplasia, therapeutic alternatives, 224
protein-DTPA-gadolinium complexes, gadolinium dissociation from, Suppl 2:S58
proton relaxation enhancement, spatial distribution by iron oxide and, Suppl 2:S78
pulmonary emboli, contrast-enhanced computed tomography for detection, 184
pulmonary magnetic resonance angiography, single breath-hold, 766
pulmonary nodules, computerized detection in computed tomography images, 459
pulmonary vasculature, peripheral, in anthropomorphic chest phantoms, 466

R

radiocontrast media, Suppl 1:S54
  nephropathy induced, analysis by dual-labeled radionuclide clearance, 618
radiograph, current, role of previous radiographs/reports in interpretation of, 263
radiographic cassette, infinity-focused, scatter-reduction characteristics of, 852
radiographic contrast media
  effect on granulocyte phagocytosis of Escherichia coli, 68
  effect on leukocyte motility, 65
radiography
  chest. See chest radiography
  digital. See digital radiography
  direct magnification. See direct magnification radiography
  projection. See projection radiography
radiologist, professional organization membership in United States, 381
radiology. See also academic radiology
  calculating costs of undergraduate medical education in, 856
  career development as woman in, 397
  funding opportunities for young investigators, 1
  written evaluations of performance, 119
radiology clerkships, at teaching hospitals in United States, 105
radiology department
  integration of ultrasound in, 773
  management audit, 797
radiopharmaceutical infiltrations, dosimetric consequences, 59
receiver operating characteristic analysis
  of computer display of adult portable chest radiographs, 141
  computing sample size, 238
  simulated nodular interstitial disease and, 1020
renal artery, segmental stenosis, duplex sonography and, 390
renal cortical perfusion, fractal analysis, 16
renal disease, diffuse, detection of parenchymal structural change, 134
renal transplantation
  bone mineral status after, assessment by noninvasive techniques, 127
  gadolinium-DOTA renal pharmacokinetic study by factor analysis in, Suppl 2:S174
research impact assessment, 864
residency
  progress in academic radiology, 258
  written evaluations of performance, 119
rheolytic catheter, prototype for percutaneous thrombectomy, 547
rib fractures, effect of noise on detection, 54
rotator cuff tears, diagnostic performance of magnetic resonance imaging, 87

S

saline implants, imaging, 781
sapphire probe, thermal distribution of, carbon dioxide gas perfusion and, 553
seizures, intractable, child with cranial asymmetry and, 113
SHU 555A, for magnetic resonance imaging, Suppl 2:S87
silicone gel implants, imaging, 781
sodium
  cardiac and hemodynamic tolerability of iopromide and, 978
  effects of vasoconstrictors on coronary arteries and, 1015
solid nuclear track detectors, monitoring substrate uptake and distribution by tumors using, 834
sonography, duplex, segmental stenosis of renal artery and, 390
spectroscopy
  magnetic resonance. See magnetic resonance spectroscopy
  time-resolved. See time-resolved spectroscopy
spin-echo imaging, of musculoskeletal structures in children and young adults, 803
spiral computed tomographic angiography, three-dimensional of head and neck, abdomen, and pelvis, Suppl 2:S261
spiral computed tomography
  breath-holding capability and, 848
  fracture displacement phantom and, 665
  of liver, dose requirements of nonionic contrast agent, 195
spleen imaging
  nanocrystalline computed tomography contrast agents for, Suppl 2:S286
  nanoparticulate contrast media for, Suppl 2:S280
  superparamagnetic iron oxide for, Suppl 2:S21
sprodiamide, magnetic resonance imaging of cerebral perfusion and, Suppl 2:S24
sterilization, tubal
  by selective catheterization in animal model, 156
  transcatheter in rabbits, 570
streptokinase, plasminogen activation by, contrast media and, 705
supraclavicular mass, in woman with hyperparathyroidism, 244

T

thermocholectystectomy, refinement of technique in animal model, 355
thermotherapy, laser-induced, magnetic resonance imaging-controlled, 345
thoracoscopic surgery, video, alternative design for radiologic guidance, 648
three-dimensional imaging
  clinical applications, 574
  historical development, 489
  image analysis and interaction, display options, and physical models, 716
  oncologic surgery planning and, 1031
thrombectomy, percutaneous, prototype rheolytic catheter for, 547
time-resolved spectroscopy, measurement of optical parameters in breast using, 410
tissue lipid, quantification using magnetic resonance imaging, 361
tissue plasminogen activator, plasminogen activation by, contrast media and, 705
tissue transplantation, experimental using biopsy instrument/radiologic methods, 469
triglycerides, polyiodinated, for hepatic computed tomography, Suppl 2:S284

tubal sterilization
by selective catheterization in animal model, 156
transcatheter in rabbits, 570
tuberculoma, differentiation, Suppl 2:S255
tumors
angiogenesis, contrast-enhanced magnetic resonance imaging and, 1043
blood flow measured using dynamic computed tomography, 873
brain. See brain tumors
differentiation from normal tissue, Suppl 2:S161
substrate uptake and distribution by, monitoring, 834
therapeutic responses of, magnetic resonance spectroscopy and, 758
twitching reaction, nonionic contrast media and, 985

U

ultrasonography
contrast media
albunex as, Suppl 2:S142
echoicity in solutions, Suppl 2:S137
gas emulsions as, Suppl 2:S139
gas-filled lipid bilayers as, Suppl 2:S134
polymeric microballoons as, Suppl 2:S149
detection of parenchymal structural change in diffuse renal disease, 134
integration in digital radiology department, 773
intravascular, for calcified arterial lesions, 420
small vessel diameter/cerebral blood flow during anemia and, 188
ultrasound mean acoustic attenuation, bone formation during osteogenesis and, 933
ultrasound surgery, magnetic resonance imaging-guided noninvasive, contrast media and, 897
United States
iodixanol experience in, Suppl 2:S236
patterns of professional organization membership among radiologists, 381
radiology clerkships at teaching hospitals, 105
urography, excretory. See excretory urography

V

vascular endothelial injury, intravascular contrast agents and, Suppl 2: S195
vasoconstrictors, effects on coronary arteries, 1015
venography, peripheral. See peripheral venography
ventricular volumes, assessment using cine magnetic resonance, 162
ventriculography, left. See left ventriculography
visceral angiography, iopromide in, Suppl 1:S98
volumetric rendering, three-dimensional, oncologic surgery planning and, 1031

W

water restriction, intrarenal distribution of superparamagnetic iron oxide and, 540
white blood cell imaging, acceleration by adjunct use of radiographic contrast media, Suppl 2:S36
whole blood aggregometry, platelet membrane glycoproteins and, Suppl 2:S198
whole blood flow cytometric assay, radiographic contrast media and, 68

X

x-ray, monochromatic, attentuation by normal and abnormal breast tissue, 266
x-ray angiography, three-dimensional distance-concentration functions derived, volume blood flow measurement validation and, 434
x-ray contrast media
anticoagulation mechanisms, Suppl 2:S201
iodinated, effects on renal epithelial cells in culture, 955
nonionic dimer, Suppl 2:S230
nonionic triiodinated, Suppl 2:S275
physicochemical parameters, 72

Author Index — Volume 29

A

Aarts, N. J.: *see* Kool, L. J. S.
Abildgaard, A., Jensen, Ø, Kløw, N.-E.: A pressure-recording guide wire for measurements of trans-stenotic gradients in arteries: In vitro validation, 178
Abrahim-Zadeh, R., Yu, J. S., Resnick, D.: Central (Interior) Osteophytes of the Distal Femur: Imaging and Pathologic Findings, 1001
Abrams, H. L.: *see* Levin, D. C.
Adler, R. S.: *see* Daniel, B. L.
Ahlström, H.: *see* Sundin, A.
Alamo, C.: *see* Alguacil, L. F.
Albanese, M. L.: *see* Stanford, W.
Albert, S. G., Shapiro, M. J., Brown, W. W., Goodgold, H., Zuckerman, D., Durham, R., Kern, M., Fletcher, J., Wolverson, M., Plummer, E. S., Baue, A. E.: Analysis of radiocontrast-induced nephropathy by dual-labeled radionuclide clearance, 618
Albertsen, M.: *see* Lillevang, S. T.
Alford, B. A.: *Diagnostic imaging*, 397
Alguacil, L. F., Gonzalez, C., Böhle, F., Jimenez, I., Alamo, C., Martin, J. L.: Contrast media algogenic potential in peripheral arteriography: Potentiation of bradykinin-induced pain in the rat, 294
Amis, E. S., Jr.: *see* Barlev, D. M.
Amplatz, K.: *see* Bjarnason, H.
Amplatz, K.: *see* Engeler, C. E.
Andersen, K.-J., Christensen, E. I., Vik, H.: Effects of Iodinated X-Ray Contrast Media on Renal Epithelial Cells in Culture, 955
Anderson, G. M.: *see* Kahn, C. E., Jr.
Anderson, J. H., Strandberg, J. D., Wong, D. F., Conti, P. S., Barker, P. B., Blackband, S. J., Hilton, J., Natarajan, T. K., Dannals, R. F., Samphilipo, M. A., Jr., Magee, C. A., Burckhardt, D. D.: Multimodality correlative study of canine brain tumors: Proton magnetic resonance spectroscopy, positron emission tomography, and histology, 597
Anderson, J. H.: *see* Bluemke, D. A.
Andrews, W. W.: *see* Carroll, F. E.
Arimizu, N.: *see* Hattori, H.
Arnder, L., Zhou, X., Cofer, G. P., Hedlund, L. W., Johnson, G. A.: Magnetic resonance microscopy of the rat carotid artery at 300 megahertz, 822
Ashida, H.: *see* Imamura, K.
Aubry, S.: *see* Durand-Zaleski, I.
Aue, W. P.: *see* Lazeyras, F.
Austin, A. R., Smith, J. K., Brogdon, B. G.: Child with intractable seizures and cranial asymmetry, 113

B

Bååth, L., Besjakov, J., Pettersson, G.: Effects of Nonionic Monomeric and Dimeric Contrast Media on the Twitching Reaction of the Rat: Importance of Osmolality and Electrolyte Content, 985
Bååth, L.: *see* Karstoft, J.
Bach-Gansmo, T., Fahlvik, A. K., Ericsson, A., Hemmingsson, A.: Superparamagnetic iron oxide for liver imaging: Comparison among three different preparations, 339
Bae, K. T.: *see* Giger, M. L.
Bagley, A.: *Ultrasound in obstetrics and gynecology*, 397
Bain, R.: *see* Carroll, F. E.
Banitt, P. F.: *see* Piana, R. N.
Barker, P. B.: *see* Anderson, J. H.
Barlev, D. M., Lautin, E. M., Amis, E. S., Jr., Lerner, M. E.: A survey of radiology clerkships at teaching hospitals in the United States, 105
Baron, R. L.: *see* Schulte, S. J.
Bassinger, M.: *see* Carroll, F. E.
Baue, A. E.: *see* Albert, S. G.
Bauer, H., Negishi, C., Weinmann, H.-J.: Influence of gadolinium chelates on phosphorus-31 magnetic resonance spectroscopy of the liver, 752
Baydush, A. H.: *see* Floyd, C. E., Jr.
Bazille, A., Guttman, M. A., McVeigh, E. R., Zerhouni, E. A.: Impact of semiautomated versus manual image segmentation errors on myocardial strain calculation by magnetic resonance tagging, 427
Beaufils, H.: *see* Brillet, G.
Berbaum, K.: *see* White, K.
Berbaum, K. S.: *see* Franken, E. A., Jr.
Bergin, C. J.: *see* Rubin, G. D.
Besjakov, J.: *see* Bååth, L.
Bessen, S. C.: *see* Krupinski, E. A.
Beuthan, J.: *see* Gewiese, B.
Binet, E. F.: *see* Macura, R. T.
Bjarnason, H., Yedlicka, J. W., Jr., Hunter, D. W., Castañeda-Zuñiga, W. R., Amplatz, K.: In vitro metal fatique testing of inferior vena cava filters, 817
Bjørnsen, S.: *see* Schilvold, A.
Blackband, S. J.: *see* Anderson, J. H.
Blackwell, G. G.: *see* Dell'Italia, L. J.
Bladin, C. F.: *see* Hawkes, D. J.
Bland, P. H.: *see* Boes, J. L.
Blashka, K.: *see* Link, D. P.
Blasius, S.: *see* Link, T. M.
Bléry, M.: *see* Frouge, C.
Bluemke, D. A., Fishman, E. K., Anderson, J. H.: Dose requirements for a nonionic contrast agent for spiral computed tomography of the liver in rabbits, 195
Boes, J. L., Bland, P. H., Weymouth, T. E., Quint, L. E., Bookstein, F. L., Meyer, C. R.: Generating a normalized geometric liver model using warping, 281
Böhle, F.: *see* Alguacil, L. F.
Bonner, R. F.: *see* Douek, P. C.
Bookstein, F. L.: *see* Boes, J. L.
Bose-Landgraf, J.: *see* Gewiese, B.
Bourbouze, R.: *see* Brillet, G.
Bourrinet, P., Dencausse, A., Cochet, P., Bromet-Petit, M., Chambon, C.: Whole Body Quantitative Autoradiographic Study of the Biodistribution of Iobitridol in Rats, 1057
Bova, J. G.: Correspondence, 125
Bowsher, J. E.: *see* Floyd, C. E., Jr.
Braeuning, M. P.: *Percutaneous breast biopsy*, 662
Brasch, R. C.: *see* Cohen, F. M.
Breithardt, G.: *see* Link, T. M.
Bresch, J. P.: *see* Mettler, F. A., Jr.
Briggs, J.: *see* Mettler, F. A., Jr.
Brillet, G., Dubois, M., Beaufils, H., Bourbouze, R., Deray, G.: Renal tolerance of gadolinium-DOTA and gadolinium-DTPA in rats, 352
Brink, J. A., Kammer, B., Mueller, P. R., Prien, E. L., Ferrucci, J. T.: Dissolution of calcified gallstones: Part I. Correlation of in vitro dissolution kinetics in methyl tert-butyl ether with patterns of calcification by computed tomography, 448
Brink, J. A.: *see* Kammer, B.
Broadwell, R.: *MRI of the body: The Raven MRI teaching file*, 870
Brock, J. M.: *see* McGahan, J. P.
Brogdon, B. G.: *see* Austin, A. R.
Bromet-Petit, M.: *see* Bourrinet, P.
Brooks, K. W., Trueblood, J. H., Kearfott, K. J.: Subjective evaluations of mammographic accreditation phantom images by three observer groups, 42
Brosstad, F.: *see* Schilvold, A.
Brown, G. S.: *see* Winfield, D.
Brown, M. L., Hung, J. C., Vetter, R. J., O'Conner, M. K., Chowdhury, S., Forstrom, L. A.: The radiation dosimetry and normal value study of ^{99m}Tc-HMPAO-labeled leukocytes, 443
Brown, W. W.: *see* Albert, S. G.
Browning, P. D.: *see* McGahan, J. P.
Brundage, B.: *see* Tang, W.
Bucherer, C., Lacombe, C., Lelievre, J. C.: Effects of Two Low-Osmolar Contrast Media, Ioxaglate and Iopamidol, on Erythrocyte Membrane Elasticity, 1026
Burckhardt, D. D.: *see* Anderson, J. H.
Burns, T. L.: *see* White, M. L.

C

Cahill, P. T.: *see* Deo-Narine, V.
Capp, M. P.: *see* Krupinski, E. A.
Caravelli, J. F.: *see* Heelan, R. T.
Carlson, J.: *see* Frankel, S.
Carris, R. L.: *see* Stanford, W.
Carroll, B. A.: *Segmental stenosis of the renal artery: Pattern recognition of tardus and parvus abnormalities with duplex sonography*, 390
Carroll, F. E., Waters, J. W., Andrews, W. W., Price, R. R., Pickens, D. R., Willcott, R., Tompkins, P., Roos, C., Page, D., Reed, G., Ueda, A., Bain, R., Wang, P., Bassinger, M.: Attenuation of monochromatic X-rays by normal and abnormal breast tissues, 266
Cassell, M. D.: *see* Stanford, W.
Castañeda-Zuñiga, W. R.: *see* Bjarnason, H.
Castaneda-Zuñiga, W. R.: *see* Levin, D. C.
Castellino, R. A.: *see* Heelan, R. T.
Castillo, M.: *MR angiography: A teaching file*, 662
Castro, L. J.: *see* Pelc, L. R.
Castronovo, F. P., Jr., McKusick, K. A., Strauss, H. W.: Dosimetric consequences of radiopharmaceutical infiltrations, 59
Chambon, C.: *see* Bourrinet, P.
Chambon, C.: *see* Trillaud, H.
Chan, H.-P.: *see* Niklason, L. T.
Chan, W.: *see* Deitch, C. H.
Chance, B.: *see* Suzuki, K.
Chandran, K. B.: *see* Dove, E. L.
Chang, Y.-H.: *see* Chen, J.
Chapman, B. A.: *see* Hurrell, M. A.
Chen, J., Zheng, B., Chang, Y.-H., Shaw, C. C., Towers, J. D., Gur, D.: Fractal analysis of trabecular patterns in projection radiographs: An assessment, 624
Chen, J. T. T.: *Chest and cardiac imaging—An atlas of differential diagnosis*, 521
Chollet-Martin, S.: *see* Feldman, L. J.
Chotas, H. G.: *see* Floyd, C. E., Jr.
Chowdhury, S.: *see* Brown, M. L.

Christensen, E. I.: *see* Andersen, K.-J.
Chung, H. J.: *see* Park, S. H.
Clarke, L.: *see* Winfield, D.
Cochet, P.: *see* Bourrinet, P.
Cochran, S. T., Norman A.: Induction of micronuclei in lymphocytes of patients undergoing execretory urography with ioversol, 210
Cofer, G. P.: *see* Arnder, L.
Cohen, F. M., Kuwatsuru, R., Shames, D. M., Neuder, M., Mann, J. S., Vexler, V., Rosenau, W., Brasch, R. C.: Contrast-enhanced magnetic resonance imaging estimation of altered capillary permeability in experimental mammary carcinomas after X-irradiation, 970
Cohen, M. D.: *see* Don, S.
Colchester, A. C. F.: *see* Hawkes, D. J.
Coley, B. D., Fischbein, N. J.: Abdominal masses in an eight-year-old boy, 656
Colombo, A.: *see* Detrano, R.
Combe, C.: *see* Trillaud, H.
Contesso, G.: *see* Frouge, C.
Conti, P. S.: *see* Anderson, J. H.
Copenhaver, G. L.: *see* McInerney, J. J.
Courtieu, C.: *see* Maubon, A.
Cover, S.: *see* Maubon, A.

D

D'Agostino, H.: *see* Talner, L. B.
Dai, H. B.: *see* Piana, R. N.
Damianou, C. A.: *see* Hynynen, K.
Daniel, B. L., Waanders, N. A., Zhang, Y., Moskalik, A., Fowlkes, J. B., Rubin, J. M., Goulet, J. A., Adler, R. S.: The use of ultrasound mean acoustic attenuation to quantify bone formation during distraction osteogenesis performed by the Ilizarov method: Preliminary results in five dogs, 933
Dannals, R. F.: *see* Anderson, J. H.
Darkazanli, A.: *see* Hynynen, K.
Debatin, J. F.: *see* Unterweger, M.
Deck, M. D. F.: *see* Deo-Narine, V.
de Gara, C. J.: *see* Malone, D. E.
Degrèze, P.: *see* Trillaud, H.
Deimling, M.: *see* Gewiese, B.
Deitch, C. H., Chan, W., Sunshine, J. H.: Patterns of professional organization membership among radiologists in the United States, 381
Del Favero, C.: *see* Ferrario, V. F.
Dell'Italia, L. J., Blackwell, G. G., Pearce, D. J., Thorn, B., Pohost, G. M.: Assessment of ventricular volumes using cine magnetic resonance in the intact dog: A comparison of measurement methods, 162
DeNardi, F. G.: *see* Malone, D. E.
Dencausse, A.: *see* Bourrinet, P.
Deo-Narine, V., Gomez, D. G., Vullo, T., Manzo, R. P., Zimmerman, R. D., Deck, M. D. F., Cahill, P. T.: Direct in vivo observation of transventricular absorption in the hydrocephalic dog using magnetic resonance imaging, 287
Deray, G.: *see* Brillet, G.
Derugin, N.: *see* Lauerma, K.
Destouet, J. M.: *see* Pisano, E. D.
Detrano, R., Kang, X., Mahaisavariya, P., Tang, W., Colombo, A., Molloi, S., Garner, D., Nickerson, S.: Accuracy of quantifying coronary hydroxyapatite with electron beam tomography, 733
Detrano, R.: *see* Tang, W.
Di Paola, R.: *see* Frouge, C.
Disler, D. G., Marr, D. S., Rosenthal, D. I.: Accuracy of volume measurements of computed tomography and magnetic resonance imaging phantoms by three-dimensional reconstruction and preliminary clinical application, 739
Dixon, A. K.: *see* Miles, K. A.
Dixon, A. K.: *see* Slaven, A. E.
Doherty, T.: *see* Tang, W.
Don, S., Cohen, M. D., Kruger, R. A., Winkler, T. A., Katz, B. P., Li, W., Dreesen, R. G., Kennan, N., Tarver, R., Klatte, E. C.: Rabbit pneumothorax: Feasibility of an animal model to simulate neonatal pneumothorax, 558
Dorfman, D. D.: *see* Franken, E. A., Jr.
Dorfman, G. S.: Can we learn lessons from history or are we condemned to repeat it?, 485
Douek, P. C., Gandjb.khche, A., Leon, M. B., Bonner, R. F.: Functional properties of a prototype rheolytic catheter for percutaneous thrombectomy: In vitro investigations, 547
Dove, E. L., Philip, K., Gotteiner, N. L., Vonesh, M. J., Rumberger, J. A., Reed, J. E., Stanford, W., McPherson, D. D., Chandran, K. B.: A method for automatic edge detection and volume computation of the left ventricle from ultrafast computed tomographic Images, 945
Dow, W.: *see* Young, S. W.
Doyle, T. C.: *see* Slaven, A. E.
Dreesen, R. G.: *see* Don, S.
Dubois, M.: *see* Brillet, G.
Ducret, R. P.: *see* Engeler, C. E.
Durand-Zaleski, I., Vasile, N., Lemaire, F., Aubry, S., Frija, G., the 'Radiology Committee': Management audit in a french Department of Radiology, 797
Durham, R.: *see* Albert, S. G.
Dwyer, S.: *see* Winfield, D.

E

Easley, G.: *see* Stanford, W.
Edvinsson, L.: *see* Karstoft, J.
Egund, N.: *see* Lillevang, S. T.
Ekberg, O.: *see* Olsson, R.
Elbim, C.: *see* Feldman, L. J.
Endo, M.: *see* Imamura, K.
Engeler, C. E., Erickson, P. D., Tashijian, J. H., Hunter, D. W., Amplatz, K., Ducret, R. P., Maddaus, M. A.: Alternative design for radiologic guidance in video thoracoscopic surgery, 648
Erickson, P. D.: *see* Engeler, C. E.
Ericsson, A.: *see* Bach-Gansmo, T.
Erkonen, W. E.: *see* Smith, W. L.
Erkonen, W. E.: *see* Stanford, W.
Evans, D.: *see* Gill, M.
Evans, W. P., III: *see* Pisano, E. D.

F

Fahlvik, A. K.: *see* Bach-Gansmo, T.
Farrow, R.: *see* Roobottom, C. A.
Feins, R.: *see* Manzi, S. V.
Feldman, L. J., Chollet-Martin, S., Himbert, D., Juliard, J.-M., Pasquier, C., Elbim, C., Steg, P. G.: Modulation of the expression of the granulocyte adhesion molecule, CR3, by percutaneous transluminal coronary angioplasty and contrast media, 313
Feldman, P. S.: *see* Sistrom, C. L.
Fellows, K. E.: *see* Levin, D. C.
Ferrario, V. F., Sforza, C., Serrao, G., Frattini, T., Del Favero, C.: Shape of the human corpus callosum: Elliptic Fourier analysis on midsagittal magnetic resonance scans, 677
Ferrucci, J. T.: *see* Brink, J. A.
Ferrucci, J. T.: *see* Kammer, B.
Fischbein, N. J.: *see* Coley, B. D.
Fishman, E. K.: *see* Bluemke, D. A.
Fishman, E. K.: *see* Woodhouse, C. E.
Fleischman, R. C.: *see* Heelan, R. T.
Fletcher, J.: *see* Albert, S. G.
Floyd, C. E., Jr., Baydush, A. H., Lo, J. Y., Bowsher, J. E., Ravin, C. E.: Bayesian Restoration of Chest Radiographs: Scatter Compensation with Improved Signal-To-Noise Ratio, 904
Floyd, C. E., Jr., Chotas, H. G., Ravin, C. E.: Scatter-reduction characteristics of an infinity-focused gridded radiographic cassette, 852
Fobbe, F.: *see* Gewiese, B.
Fondriest, J. E.: *see* Harvey, J. A.
Foo, T. K. F.: *see* Rubin, G. D.
Forstrom, L. A.: *see* Brown, M. L.
Fowlkes, J. B.: *see* Daniel, B. L.
Frank, I. B.: *see* Sage, M. R.
Frank, M. S., Gusé, S. L., Stern, E. J., Rohrmann, C. A.: Integrating a digital dictation system with a network data base for creating and managing radiologic teaching files, 652
Frank, M. S., Lee, H., Kim, Y., Rowberg, A. H., Lee, W., Riskin, E. A.: Evaluation of a combined two- and three-dimensional compression method using human visual characteristics to yield high-quality 10:1 compression of cranial computed tomography scans, 842
Frankel, S., Occhipinti, K., Kaufman, L., Kramer, D., Carlson, J., Mineyev, M., Friedenthal, R.: Characteristics of magnetic resonance sequences used for imaging silicone gel, saline, and gel-saline implants at low field strengths, 781
Franken, E. A., Jr.: *Bias and "overcall" in interpreting chest radiographs in young febrile children*, 253
Franken, E. A., Jr., Berbaum, K. S., Lu, C. H., Kannam, S., Dorfman, D. D., Warnock, N. G., Simonson, T. M., Pelsang, R. E.: Satisfaction of search in the detection of plain film abnormalitites in abdominal contrast studies, 403
Frattini, T.: *see* Ferrario, V. F.
Freeny, P.: *see* Schmiedl, U.
French, W.: *see* Tang, W.
Frenzel, T.: *see* Staks, T.
Frey, F. J.: *see* Lazeyras, F.
Friedenthal, R.: *see* Frankel, S.
Friedman, P. J.: The impact of health care reform on academic radiology, 790
Frija, G.: *see* Durand-Zaleski, I.
Frouge, C., Guinebretière, J.-M., Contesso, G., Di Paola, R., Bléry, M.: Correlation between contrast enhancement in dynamic magnetic resonance imaging of the breast and tumor angiogenesis, 1043
Fukui, A.: *see* Imamura, K.
Fukuta, K.: *see* Hemmy, D. C.
Fukuta, K.: *see* Zonneveld, F. W.
Fultz, P. J.: *see* Manzi, S. V.

G

Gado, M. H.: *see* Pilgram, T. K.
Galvin, J. R.: *see* Stanford, W.
Gamsu, G.: *see* Stern, E. J.
Gandjbakhche, A.: *see* Douek, P. C.
Garner, D.: *see* Detrano, R.
Garra, B. S., Insana, M. F., Sesterhenn, I. A., Hall, T. J., Wagner, R. F., Rotellar, C., Winchester, J., Zeman, R. K.: Quantitative ultrasonic detection of parenchymal structural change in diffuse renal disease, 134
Gatenby, R. A.: Monitoring substrate uptake and distribution by tumors using percutaneous catheters and solid nuclear track detectors, 834
Gay, S. B., Sistrom, C. L., Holder, C. A., Suratt, P. M.: Breath-holding capability of adults: Implications for spiral computed tomography, fast-acquisition magnetic resonance imaging, and angiography, 848
Georgsen, J.: *see* Lillevang, S. T.
Gewiese, B., Beuthan, J., Fobbe, F., Stiller, D., Müller, G., Bose-Landgraf, J., Wolf, K.-J., Deimling, M.: Magnetic resonance imaging—controlled laser-induced interstitial thermotherapy, 345
Giger, M. L., Bae, K. T., MacMahon, H.: Computerized detection of pulmonary nodules in computed tomography images, 459
Gill, M., Miller, S. L., Evans, D., Scatliff, J. H., Meyerand, M. E., Powers, S. K., Kwock, L.: Magnetic resonance imaging and spectroscopy of small ring-enhancing lesions using a rat glioma model, 301
Glaros, D. K.: *see* Kalef-Ezra, J. A.
Godlewski, G.: *see* Maubon, A.
Gomez, D. G.: *see* Deo-Narine, V.
Gonzalez, C.: *see* Alguacil, L. F.
Goodgold, H.: *see* Albert, S. G.
Goodsitt, M. M., Hoover, P., Veldee, M. S., Hsueh, S. L.: The composition of bone marrow for a dual-energy quantitative computed tomography technique: A cadaver and computer simulation study, 695
Gorman, W. G.: *see* Rubin, D. L.
Gotteiner, N. L.: *see* Dove, E. L.
Goulet, J. A.: *see* Daniel, B. L.
Graf, W.: *see* Sundin, A.
Graham, K.: *see* Krupinski, E. A.
Grant, P. E., Lumsden, C. J.: Fractal analysis of renal cortical perfusion, 16
Greenberg, S. B., Singh, G. K., Stauffer, N. R.: Magnetic resonance measurement of volumes using a phantom: Application to the cardiac ventricles of infants and small children, 787
Grenier, N.: *see* Trillaud, H.
Griffey, S. M.: *see* McGahan, J. P.
Grollman, J., Jr.: *see* Levin, D. C.
Grover-McKay, M.: *see* Weiss, R. M.
Grover-McKay, M.: *see* White, M. L.
Guinebretière, J.-M.: *see* Frouge, C.
Gur, D.: *see* Chen, J.
Gur, D.: *see* Shaw, C. C.
Gusé, S. L.: *see* Frank, M. S.
Guttman, M. A.: *see* Bazille, A.

H

Hall, T. J.: *see* Garra, B. S.
Han, J. H.: *see* Park, S. H.
Hanks, J. B.: *see* Sistrom, C. L.
Hardesty, R. A.: *see* Pilgram, T. K.
Hardingham, C. R.: *see* Hawkes, D. J.
Harpster, L. M.: Written evaluations of performance: Balancing resident and faculty rights, 119
Harvey, J. A., Fondriest, J. E., Smith, M. M.: Densely calcified breast mass, 516
Hashimoto, T.: *see* Tomoda, K.
Hattori, H., Miyoshi, T., Okada, J., Yoshikawa, K., Arimizu, N., Hattori, N.: Tumor Blood Flow Measured Using Dynamic Computed Tomography, 873
Hattori, N.: *see* Hattori, H.
Hatzikonstantinou, I.: *see* Kalef-Ezra, J. A.
Hawkes, D. J., Seifalian, A. M., Colchester, A. C. F., Iqbal, N., Hardingham, C. R., Bladin, C. F., Hobbs, K. E. F.: Validation of volume blood flow measurements using three-dimensional distance-concentration functions derived from digital X-ray angiograms, 434
Hayashi, K.: *see* Ito, M.
Hayball, M. P.: *see* Miles, K. A.
Hedlund, L. W.: *see* Arnder, L.
Heelan, R. T., Rothenberg, L. N., Caravelli, J. F., Fleischman, R. C., Castellino, R. A.: Low-density supradiaphragmatic band artifact on advanced multiple-beam equalization radiography of the chest, 777
Heijboer, R. J. J.: *see* Kool, L. J. S.
Heimann, G.: *see* Krause, W.
Heinzelmann, I.: *see* Mühler, A.
Hemmi, G.: *see* Young, S. W.
Hemmingsson, A.: *see* Bach-Gansmo, T.
Hemmy, D. C., Zonneveld, F. W., Lobregt, S., Fukuta, K.: A decade of clinical three-dimensional imaging: A review. Part I. Historical development, 489
Henschke, C. I., Steiner, R. M., McLoud, T., Westcott, J. L.: The practice of chest radiology in departments with residency programs, 48
Herfkens, R. J.: *see* Pelc, L. R.
Herfkens, R. J.: *see* Rubin, G. D.
Herr, M. D.: *see* McInerney, J. J.
Hewang-Kobrunner, S. H.: Contrast enhanced magnetic resonance imaging of the breast, 94
Higgins, C. B.: *see* Lauerma, K.
Higgins, C. B.: *see* Saeed, M.
Hillman, B. J.: *Money, Medicine, and Morals*, 123
Hilton, J.: *see* Anderson, J. H.
Himbert, D.: *see* Feldman, L. J.
Hobbs, K. E. F.: *see* Hawkes, D. J.
Holden, R. W.: *see* Williams, T. D.
Holder, C. A.: *see* Gay, S. B.
Honiger, J.: *see* Maubon, A.
Hoover, P.: *see* Goodsitt, M. M.
Hori, S.: *see* Tomoda, K.
Horn, J.: *see* Schmiedl, U.
Hough, D. E.: *see* Smith, W. L.
Howart, N.: *see* Lazeyras, F.
Hruby, W.: *see* Krampla, W.
Hsueh, S. L.: *see* Goodsitt, M. M.
Hudak, M. L.: *see* Taylor, G. A.
Hung, J. C.: *see* Brown, M. L.
Hunke, W. A.: *see* Rubin, D. L.
Hunt, R.: *see* Krupinski, E. A.
Hunter, D. W.: *see* Bjarnason, H.
Hunter, D. W.: *see* Engeler, C. E.
Hurlock-Fimls, N.: *see* Roobottom, C. A.
Hurrell, M. A., Chapman, B. A., Wilson, I. R.: Variation in the estimation of gallbladder volume using the sum-of-cylinders method, 536
Hwang, S. S.: *see* Park, S. H.
Hynynen, K., Darkazanli, A., Damianou, C. A., Unger, E., Schenck, J. F.: The usefulness of a contrast agent and gradient-recalled acquisition in a steady-state imaging sequence for magnetic resonance imaging-guided noninvasive ultrasound surgery, 897

I

Ikezoe, J.: *see* Kido, S.
Imamura, K., Ashida, H., Nakajima, H., Takagi, M., Ohashi, K., Saeki, M., Fukui, A., Endo, M., Ishikawa, T.: Reproducibility of magnetic resonance spectroscopy in patients undergoing dialysis and evaluation of the therapeutic response of tumors, 758
Inoue, T.: *see* Ishizaka, H.
Insana, M. F.: *see* Garra, B. S.
Inubushi, T.: *see* Morikawa, S.
Iqbal, N.: *see* Hawkes, D. J.
Isberg, B.: *see* Thorstensen, Ö.
Ishida, T.: *see* Tomoda, K.
Ishikawa, T.: *see* Imamura, K.
Ishizaka, H., Tomiyoshi, K., Matsumoto, M., Inoue, T.: Tissue lipid quantification using narrow bandwidth magnetic resonance imaging with a presaturation pulse, 361
Ito, M., Hayashi, K., Uetani, M., Yamada, M., Ohki, M., Nakamura, T.: Association between anthropometric measures and spinal bone mineral density, 812
Ivancev, K.: *see* Kan, Z.

J

Jackson, J.: *see* Link, D. P.
Jansen, I.: *see* Karstoft, J.
Jaramillo, D., Laor, T., Mulkern, R. V.: Comparison between fast spin-echo and conventional spin-echo imaging of normal and abnormal musculoskeletal structures in children and young adults, 803
Jaremko, G.: *see* Thorstensen, Ö.
Jensen, Ø: *see* Abildgaard, A.
Jeong, S. O.: *see* Park, S. H.
Ji, H.: *see* Yang, X.
Ji, K.: *see* Macura, R. T.
Jimenez, I.: *see* Alguacil, L. F.
Johnson, G. A.: *see* Arnder, L.
Jones, M. K.: *see* Ross, P. L.
Jorulf, H.: *see* Thorstensen, Ö.
Joujoux, J. M.: *see* Maubon, A.
Juliard, J.-M.: *see* Feldman, L. J.

K

Kahn, C. E., Jr., Anderson, G. M.: Case-based reasoning and imaging procedure selection, 643
Kalef-Ezra, J. A., Karantanas, A. H., Hatzikonstantinou, I., Sferopoulos, G., Glaros, D. K., Siamopoulos, K. C.: Bone mineral status after renal transplantation: Assessment by noninvasive techniques, 127
Kalman, B.: *see* Reinus, W. R.
Kammer, B., Brink, J. A., Knoefel, W. T., Mueller, P. R., Prien, E. L., Ferrucci, J. T.: Dissolution of calcified gallstones: Part II. Evaluation of edetic acid preparations for dissolution of residue after in vitro methyl tert-butyl ether treatment, 454
Kammer, B.: *see* Brink, J. A.
Kan, Z., Ivancev, K., Lunderquist, A.: Peribiliary plexa—important pathways for shunting of iodized oil and silicon rubber solution

from the hepatic artery to the portal vein: An experimental study in rats, 671
Kan, Z., McCuskey, P. A., Wright, K. C., Wallace, S.: Role of Kupffer cells in iodized oil embolization, 990
Kan, Z.: *see* Li, C.
Kang, K. J.: *see* Park, S. H.
Kang, X.: *see* Detrano, R.
Kannam, S.: *see* Franken, E. A., Jr.
Karantanas, A. H.: *see* Kalef-Ezra, J. A.
Karstoft, J., Bååth, L., Jansen, I., Edvinsson, L.: Effects of vasoconstrictors on rabbit coronary arteries exposed to iohexol with addition of electrolytes (sodium and calcium), 1015
Katz, B. P.: *see* Don, S.
Kaufman, L.: *see* Frankel, S.
Kearfott, K. J.: *see* Brooks, K. W.
Kennan, N.: *see* Don, S.
Keogan, M.: *MRI of the abdomen with CT correlation*, 521
Kerber, S.: *see* Link, T. M.
Kern, M.: *see* Albert, S. G.
Kessel, E.: *see* Ross, P. L.
Kido, S., Ikezoe, J., Naito, H., Masuike, M., Tamura, S., Kozuka, T.: An image analyzing system for interstitial lung abnormalities in chest radiography: Detection and classification by Laplacian-Gaussian filtering and linear opacity judgment, 172
Kihara, Y.: *see* Sugimura, H.
Kim, Y.: *see* Frank, M. S.
Kisanuki, A.: *see* Sugimura, H.
Kishi, K., Sonomura, T., Satoh, M., Nishida, N., Terada, M., Shioyama, Y., Yamada, R.: Acute toxicity of lipiodol infusion into the hepatic arteries of dogs, 882
Kito, K.: *see* Morikawa, S.
Klatte, E. C.: *see* Don, S.
Kleinen, T.: *see* Link, T. M.
Klopp, R.: *see* Krause, W.
Kløw, N.-E.: *see* Abildgaard, A.
Knoefel, W. T.: *see* Kammer, B.
Knollmann, F.: *see* Saeed, M.
Kollenkirchen, U.: *see* Krause, W.
Kool, L. J. S., Van Proosdij, M., Van Metter, R., Vrooman, H. A., Aarts, N. J., Shaw, P. M. P. C., Obermann, W. R., Heijboer, R. J. J., Memel, D. S., Oestmann, J. W.: Optimization of chest films of equalization radiography (advanced multiple beam equalization radiography): Comparison by means of a receiver operating characteristic study of simulated nodular interstitial disease, 1020
Kool, L. J. S.: *see* Van Proosdij, M. P.
Kostoff, R. N.: Research impact assessment: Principles and applications to proposed, ongoing, and completed projects, 864
Kozuka, T.: *see* Kido, S.
Kozuka, T.: *see* Tomoda, K.
Kraemer, B. B.: *see* Pilgram, T. K.
Kramer, D.: *see* Frankel, S.
Kramer, M. S.: Author's response, 254
Krampla, W., Mosser, H., Hruby, W.: Integration of ultrasound in a fully digital radiology department, 773
Krause, W., Klopp, R., Niemer, W., Schippel, W., Kulmann, H.: Elimination of the Diatrizoate-Induced Effects on the Microcirculation by the Prostacyclin Derivative, Iloprost, 922
Krause, W., Miklautz, H., Kollenkirchen, U., Heimann, G.: Physicochemical parameters of X-ray contrast media, 72
Krause, W., Muschick, P., Wehrmann, D.: Cardiac and hemodynamic tolerability of iopromide with or without sodium or iloprost and of ioversol in the anesthetized rat, 978
Krings, W.: *see* Link, T. M.
Kruger, R. A.: *see* Don, S.
Krupinski, E. A., Maloney, K., Bessen, S. C., Capp, M. P., Graham, K., Hunt, R., Lund, P., Ovitt, T., Standen, J. R.: Receiver operating characteristic evaluation of computer display of adult portable chest radiographs, 141
Kuang, L.-R.: *see* Li, C.
Kulmann, H.: *see* Krause, W.
Kuwatsuru, R.: *see* Cohen, F. M.
Kwasny, S.: *see* Reinus, W. R.
Kwock, L.: *see* Gill, M.

L

Lacombe, C.: *see* Bucherer, C.
Landas, S. K.: *see* Stanford, W.
Lange, L.: *see* Staks, T.
Laor, T.: *see* Jaramillo, D.
Lauerma, K., Saeed, M., Wendland, M. F., Derugin, N., Yu, K. K., Higgins, C. B.: The use of contrast-enhanced magnetic resonance imaging to define ischemic injury after reperfusion: Comparison in normal and hypertrophied hearts, 527
Laurent, A.: *see* Maubon, A.
Lautin, E. M.: *see* Barlev, D. M.
Lazeyras, F., Terrier, F., Aue, W. P., Frey, F. J., Howart, N.: Measurement of lactate in acutely ischemic rat kidneys using magnetic resonance spectroscopy, 24
Lee, E. J.: *see* Park, S. H.
Lee, H.: *see* Frank, M. S.
Lee, J. H.: *see* Park, S. H.
Lee, W.: *see* Frank, M. S.
Lelievre, J. C.: *see* Bucherer, C.
Lemaire, F.: *see* Durand-Zaleski, I.
Leon, M. B.: *see* Douek, P. C.
Lerner, M. E.: *see* Barlev, D. M.
Leung, D. A.: *see* Unterweger, M.
Levin, D. C., Abrams, H. L., Castaneda-Zuñiga, W. R., Fellows, K. E., Grollman, J., Jr., Mitchell, W. A., Smith, D. C., Wexler, L.: Lessons from history: Why radiologists lost coronary angiography and what can be done to prevent future similar losses, 480
Levy, R. A.: Semiautomated three-dimensional craniofacial imaging and modeling, 150
Li, C., Kan, Z., Yang, D. J., Kuang, L.-R., Liu, C. W., Wright, K. C., Wallace, S.: Preparation, characterization, and evaluation of ioxilan carbonate particles for computed tomography contrast enhancement of liver, 1006
Li, H.-T.: *see* Saeed, M.
Li, W.: *see* Don, S.
Lillevang, S. T., Albertsen, M., Rasmussen, F., Georgsen, J., Egund, N.: Effect of radiographic contrast media on granulocyte phagocytosis of *Eschericia coli* in a whole blood flow cytometric assay, 68
Link, D. P., Mourtada, F. A., Jackson, J., Blashka, K., Samphilipo, M. A.: Hydrogel embolic agents: Theory and practice of adding radio-opacity, 746
Link, T. M., Kerber, S., Pöppelmann, M., Kleinen, T., Krings, W., Breithardt, G., Blasius, S., Peters, P. E.: In vitro correlation of intravascular ultrasound and direct magnification radiography for calcified arterial lesions, 420
Liu, C. W.: *see* Li, C.
Lo, J. Y.: *see* Floyd, C. E., Jr.
Lobregt, S.: *see* Hemmy, D. C.
Lopez, F.-M.: *see* Maubon, A.
Lu, C. H.: *see* Franken, E. A., Jr.
Lumsden, C. J.: *see* Grant, P. E.
Lund, P.: *see* Krupinski, E. A.
Lunderquist, A.: *see* Kan, Z.

M

MacMahon, H.: *see* Giger, M. L.
Macura, K. J.: *see* Macura, R. T.
Macura, R. T., Macura, K. J., Toro, V. E., Binet, E. F., Trueblood, J. H., Ji, K.: Computerized case-based instructional system for computed tomography and magnetic resonance imaging of brain tumors, 497
Maddaus, M. A.: *see* Engeler, C. E.
Magee, C. A.: *see* Anderson, J. H.
Magnusson, A.: *see* Sundin, A.
Mahaisavariya, P.: *see* Detrano, R.
Malone, D. E., Wyman, D. R., DeNardi, F. G., McGrath, F. P., de Gara, C. J., Wilson, B. C.: Hepatic interstitial laser photocoagulation: An investigation of the relationship between acute thermal lesions and their sonographic images, 915
Maloney, K.: *see* Krupinski, E. A.
Mann, J. S.: *see* Cohen, F. M.
Manninen, H.: *see* Yang, X.
Manninen, H.: *see* Yang, X.
Manzi, S. V., Fultz, P. J., Sickel, J. Z., Feins, R.: Chest mass in a patient with leukemia with hemoptysis, 940
Manzo, R. P.: *see* Deo-Narine, V.
Mares, P.: *see* Maubon, A.
Marr, D. S.: *see* Disler, D. G.
Marsh, J. L.: *see* Pilgram, T. K.
Martin, J. L.: *see* Alguacil, L. F.
Masuike, M.: *see* Kido, S.
Matsumoto, M.: *see* Ishizaka, H.
Maubon, A., Rouanet, J. P., Laurent, A., Joujoux, J. M., Cover, S., Courtieu, C., Wassef, M., Godlewski, G., Honiger, J., Lopez, F.-M., Mares, P.: Tubal sterilization by selective catherization in an animal model, 156
McAlister, W. H.: *see* Pilgram, T. K.
McAllister, D. F.: *see* Pizer, S. M.
McCuskey, P. A.: *see* Kan, Z.
McEnery, K. W., Wilson, A. J., Murphy, W. A., Jr.: Comparison of spiral computed tomography versus conventional computed tomography multiplanar reconstructions of a fracture displacement phantom, 665
McGahan, J. P., Wisner, E., Griffey, S. M., Brock, J. M., Browning, P. D.: Refinement of a technique for thermocholecystectomy in an animal model, 355
McGinty, G. B., Patel, M. D.: 1993 American Association of Chief of Residents in radiology problem-solving report: A proposal to modify the American Board of Radiology written examination, 376
McGrath, F. P.: *see* Malone, D. E.
McInerney, J. J., Weldner, P. W., Herr, M. D., Copenhaver, G. L.: Analysis of edge-tracking errors inherent in fluoroscopic images of the beating heart, 273
McKay, C. R.: *see* White, M. L.
McKinnon, G. C.: *see* Unterweger, M.
McKusick, K. A.: *see* Castronovo, F. P., Jr.

McLoud, T.: *see* Henschke, C. I.
McPherson, D. D.: *see* Dove, E. L.
McVeigh, E. R.: *see* Bazille, A.
Memel, D. S.: *see* Kool, L. J. S.
Mettler, F. A., Jr., Briggs, J., Bresch, J. P., Schaufeld, B.: A survey of the American College of Radiology Diagnostic Radiology in-training examination, 726
Meyer, C. R.: *see* Boes, J. L.
Meyerand, M. E.: *see* Gill, M.
Miklautz, H.: *see* Krause, W.
Miles, K. A., Hayball, M. P., Dixon, A. K.: Functional imaging of changes in human intrarenal perfusion using quantitative dynamic computed tomography, 911
Miller, D. C.: *see* Pelc, L. R.
Miller, R. A.: *see* Young, S. W.
Miller, S. L.: *see* Gill, M.
Mineyev, M.: *see* Frankel, S.
Mitchell, W. A.: *see* Levin, D. C.
Miyoshi, T.: *see* Hattori, H.
Mody, T. D.: *see* Young, S. W.
Molloi, S.: *see* Detrano, R.
Moran, B. D.: *see* Stanford, W.
Moran, C. J.: *see* Pilgram, T. K.
Morettin, L. B., Zhan, X., Sant'Ambrogio, F. B., Sant'Ambrogio, G.: Cardiorespiratory responses elicited by right atrial injections of iodinated contrast media: Comparative evaluation of four agents, 201
Morikawa, S., Inubushi, T., Kito, K.: Lactate and pH mapping in calf muscles of rats during ischemia/reperfusion assessed by in vivo proton and phosphorous magnetic resonance chemical shift imaging, 217
Moskalik, A.: *see* Daniel, B. L.
Mosser, H.: *see* Krampla, W.
Mourtada, F. A.: *see* Link, D. P.
Muecke, P. S.: *see* Sage, M. R.
Mueller, P. R.: *see* Brink, J. A.
Mueller, P. R.: *see* Kammer, B.
Mühler, A., Heinzelmann, I., Weinmann, H.-J.: Elimination of Gadolinium-ethoxybenzyl-DTPA in a rat model of severely impaired liver and kidney excretory function: An experimental study in rats, 213
Mulkern, R. V.: *see* Jaramillo, D.
Müller, G.: *see* Gewiese, B.
Muller, H. H.: *see* Rubin, D. L.
Muller, H. H.: *see* Young, S. W.
Murakami, T.: *see* Tomoda, K.
Murphy, W. A., Jr.: *see* McEnery, K. W.
Muschick, P.: *see* Krause, W.
Mutch, J. D.: *see* Young, S. W.

N

Naito, H.: *see* Kido, S.
Nakajima, H.: *see* Imamura, K.
Nakamura, H.: *see* Tomoda, K.
Nakamura, T.: *see* Ito, M.
Napel, S.: *see* Rubin, G. D.
Natarajan, T. K.: *see* Anderson, J. H.
Negishi, C.: *see* Bauer, H.
Neuder, M.: *see* Cohen, F. M.
Neuder, M.: *see* Young, S. W.
Ney, D. R.: *see* Woodhouse, C. E.
Nickerson, S.: *see* Detrano, R.
Niemer, W.: *see* Krause, W.
Niklason, L. T., Chan, H.-P.: Evaluation of a parallel hole grid for bedside chest imaging, 682
Nilsson, H.: *see* Olsson, R.
Nishida, N.: *see* Kishi, K.
Norman A.: *see* Cochran, S. T.
Nunez, B. N.: *see* Piana, R. N.

O

Obermann, W. R.: *see* Kool, L. J. S.
Obuchowski, N. A.: Computing sample size for receiver operating characteristic studies, 238
Occhipinti, K.: *see* Frankel, S.
O'Conner, M. K.: *see* Brown, M. L.
Oestmann, J. W.: *see* Kool, L. J. S.
Oestmann, J. W.: *see* Van Proosdij, M. P.
Ohashi, K.: *see* Imamura, K.
Ohki, M.: *see* Ito, M.
Ohta, K.: *see* Suzuki, K.
Okada, J.: *see* Hattori, H.
Olsson, R., Nilsson, H., Ekberg, O.: An experimental manometric study simulating upper esophageal sphincter narrowing, 630
Ovitt, T.: *see* Krupinski, E. A.

P

Page, D.: *see* Carroll, F. E.
Palussière, J.: *see* Trillaud, H.
Park, J. M.: *see* Park, S. H.
Park, S. H., Song, H. H., Han, J. H., Park, J. M., Lee, E. J., Park, S. M., Kang, K. J., Lee, J. H., Hwang, S. S., Rho, S. C., Jeong, S. O., Chung, H. J., Shinn, K. S.: Effect of noise on the detection of rib fractures by residents, 54
Park, S. M.: *see* Park, S. H.
Pasquier, C.: *see* Feldman, L. J.
Patel, M. D.: *see* McGinty, G. B.
Patten, R. M., Spear, R. P., Richardson, M. L.: Diagnostic performance of magnetic resonance imaging for the diagnosis of rotator cuff tears using supplemental images in the oblique sagittal plane, 87
Patton, D. D.: Part 4: Of gastrointestinal radiology, bread and butter; or, the flowering of barium sulfate, 472
Pearce, D. J.: *see* Dell'Italia, L. J.
Pelc, L. R., Sayre, J., Yun, K., Castro, L. J., Herfkens, R. J., Miller, D. C., Pelc, N. J.: Evaluation of myocardial motion tracking with cine—phase contrast magnetic resonance imaging, 1038
Pelc, N. J.: *see* Pelc, L. R.
Pelc, N. J.: *see* Rubin, G. D.
Pelsang, R. E.: *see* Franken, E. A., Jr.
Peters, P. E.: *see* Link, T. M.
Pettersson, G.: *see* Bååth, L.
Philip, K.: *see* Dove, E. L.
Piana, R. N., Banitt, P. F., Nunez, B. N., Dai, H. B., Sellke, F. W.: Coronary microvascular responses after exposure to iodinated contrast media, 877
Pickens, D. R.: *see* Carroll, F. E.
Pilgram, T. K., Vannier, M. W., Marsh, J. L., Kraemer, B. B., Rayne, S. C., Gado, M. H., Moran, C. J., McAlister, W. H., Shackelford, G. D., Hardesty, R. A.: Binary nature and radiographic identifiability of craniosynostosis, 890
Pisano, E. D.: *Teaching atlas of breast ultrasound*, 123
Pisano, E. D., Destouet, J. M., Evans, W. P., III, Taupman, R. E.: Breast imaging fellowship programs: A survey of the fellows of the society of breast imaging, 415
Pizer, S. M., McAllister, D. F.: *The image processing handbook*, 870
Platzek, J.: *see* Staks, T.
Plummer, E. S.: *see* Albert, S. G.
Pohost, G. M.: *see* Dell'Italia, L. J.
Pöppelmann, M.: *see* Link, T. M.
Powers, S. K.: *see* Gill, M.
Price, R. R.: *see* Carroll, F. E.
Prien, E. L.: *see* Brink, J. A.
Prien, E. L.: *see* Kammer, B.

Q

Qing, F.: *see* Young, S. W.
Quint, L. E.: *see* Boes, J. L.

R

Rasmussen, F.: *see* Lillevang, S. T.
Ravin, C. E.: *see* Floyd, C. E., Jr.
Ravin, C. E.: *see* Floyd, C. E., Jr.
Rayne, S. C.: *see* Pilgram, T. K.
Reddy, P. K.: *see* Wasserman, N. F.
Redman, H. C.: Experiences and perceptions of career development as a woman in radiology, 397
Reed, G.: *see* Carroll, F. E.
Reed, J. E.: *see* Dove, E. L.
Reiners, T. J.: *see* Stanford, W.
Reinus, W. R., Wilson, A. J., Kalman, B., Kwasny, S.: Diagnosis of focal bone lesions using neural networks, 606
Resnick, D.: *see* Abrahim-Zadeh, R.
Rho, S. C.: *see* Park, S. H.
Richardson, M. L.: *see* Patten, R. M.
Riskin, E. A.: *see* Frank, M. S.
Ritman, E. L.: Myocardial capillary permeability to iohexol: Evaluation with fast X-ray computed tomography, 612
Rohrmann, C. A.: *see* Frank, M. S.
Roobottom, C. A., Farrow, R., Wells, I. P., Hurlock-Fimls, N.: The effect of radiographic contrast media on leukocyte motility, 65
Roos, C.: *see* Carroll, F. E.
Rosenau, W.: *see* Cohen, F. M.
Rosenthal, D. I.: *see* Disler, D. G.
Ross, P. L., Thurmond, A. S., Uchida, B. T., Jones, M. K., Scanlan, R. M., Kessel, E.: Transcatheter tubal sterilization in rabbits: Technique and results, 570
Rotellar, C.: *see* Garra, B. S.
Rothenberg, L. N.: *see* Heelan, R. T.
Rouanet, J. P.: *see* Maubon, A.
Rowberg, A. H.: *see* Frank, M. S.
Rubin, D. L., Muller, H. H., Young, S. W., Hunke, W. A., Gorman, W. G.: Optimization of an oral magnetic particle formulation as a gastrointestinal contrast agent for magnetic resonance imaging, 81
Rubin, G. D., Herfkens, R. J., Pelc, N. J., Foo, T. K. F., Napel, S., Shimakawa, A., Steiner, R. M., Bergin, C. J.: Single breath-hold pulmonary magnetic resonance angiography: Optimization and comparison of three imaging strategies, 766
Rubin, J. M.: *see* Daniel, B. L.
Rumberger, J. A.: *see* Dove, E. L.
Runge, V. M.: A New Direction, 5A
Runge, V. M., Wells, J. W., Williams, N. M.: Magnetic resonance imaging of an experimental model of intracranial metastatic disease: A study of lesion detectability, 1050

S

Saeed, M., Li, H.-T., Wendland, M. F., Knollmann, F., Higgins, C. B.: Comparison of

cardiovascular response to ionic and nonionic magnetic resonance susceptibility contrast agents, 319
Saeed, M.: *see* Lauerma, K.
Saeki, M.: *see* Imamura, K.
Sage, M. R., Frank, I. B., Muecke, P. S.: Medical registration and recognition as a specialist in radiology in Australia, 387
Samphilipo, M. A.: *see* Link, D. P.
Samphilipo, M. A., Jr.: *see* Anderson, J. H.
Sant'Ambrogio, F. B.: *see* Morettin, L. B.
Sant'Ambrogio, G.: *see* Morettin, L. B.
Satoh, M.: *see* Kishi, K.
Sayre, J.: *see* Pelc, L. R.
Sayre, J. W.: *see* Yao, L.
Scanlan, R. M.: *see* Ross, P. L.
Scatliff, J. H.: *see* Gill, M.
Schaufeld, B.: *see* Mettler, F. A., Jr.
Schenck, J. F.: *see* Hynynen, K.
Schilvold, A., Bjørnsen, S., Brosstad, F.: The effect of various contrast media on the activation of plasminogen by streptokinase or recombinant tissue plasminogen activator in vitro, 705
Schippel, W.: *see* Krause, W.
Schmiedl, U., Schmoll, K., Horn, J., Speck, U., Freeny, P.: Imaging of exocrine pancreatic function: Investigation of the bioavailability of weak organic acids as potential pancreatic contrast agents for computed tomography, 689
Schmoll, K.: *see* Schmiedl, U.
Schreiber, M. H.: Call me Ishmael, 661
Schreiber, M. H.: Good idea, 520
Schreiber, M. H.: Jumps out at you, 395
Schreiber, M. H.: Listen, 118
Schreiber, M. H.: On the road again, 659
Schreiber, M. H.: Once is not enough, 394
Schreiber, M. H.: Rest in peace, 117
Schreiber, M. H.: Right, 256
Schreiber, M. H.: The Best, 257
Schreiber, M. H.: The reason why, 519
Schreiber, M. H.: Where seldom is heard . . , 594
Schreiber, M. H.: You're invited, 595
Schuhmann-Giampieri, G.: *see* Staks, T.
Schulte, S. J., Baron, R. L.: The effect of storage on the computed tomography attenuation of gallstones, 307
Seifalian, A. M.: *see* Hawkes, D. J.
Sellke, F. W.: *see* Piana, R. N.
Semelka, R.: *Hepatobiliary MRI: A text-atlas at mid- and high field*, 258
Semelka, R.: *Pocket atlas of MRI of the pelvis*, 258
Serrao, G.: *see* Ferrario, V. F.
Sessler, J. L.: *see* Young, S. W.
Sesterhenn, I. A.: *see* Garra, B. S.
Sferopoulos, G.: *see* Kalef-Ezra, J. A.
Sforza, C.: *see* Ferrario, V. F.
Shackelford, G. D.: *see* Pilgram, T. K.
Shames, D. M.: *see* Cohen, F. M.
Shapiro, M. J.: *see* Albert, S. G.
Shaw, C. C., Wang, T., Gur, D.: Effectiveness of antiscatter grids in digital radiography: A phantom study, 636
Shaw, C. C.: *see* Chen, J.
Shaw, P. M. P. C.: *see* Kool, L. J. S.
Shimakawa, A.: *see* Rubin, G. D.
Shinn, K. S.: *see* Park, S. H.
Shioyama, Y.: *see* Kishi, K.
Shtern, F.: *see* Winfield, D.
Siamopoulos, K. C.: *see* Kalef-Ezra, J. A.
Sickel, J. Z.: *see* Manzi, S. V.
Sidhu, M. K.: *see* Young, S. W.
Silbiger, M.: *see* Winfield, D.
Simonson, T. M.: *see* Franken, E. A., Jr.
Singh, G. K.: *see* Greenberg, S. B.
Sistrom, C. L., Hanks, J. B., Feldman, P. S.: Supraclavicular mass in a woman with hyperparathyroidism, 244
Sistrom, C. L.: *see* Gay, S. B.
Sitzmann, J. V.: *see* Woodhouse, C. E.
Slaven, A. E., Dixon, A. K., Doyle, T. C.: An audit of clinico-radiologic conferences, 859
Smith, D. C.: *see* Levin, D. C.
Smith, J. K.: *see* Austin, A. R.
Smith, M. M.: *see* Harvey, J. A.
Smith, W. L., Erkonen, W. E., Hough, D. E.: Calculating the costs of undergraduate medical education in radiology, 856
Smith, W. L.: *see* White, K.
Soimakallio, S.: *see* Yang, X.
Soimakallio, S.: *see* Yang, X.
Song, H. H.: *see* Park, S. H.
Sonomura, T.: *see* Kishi, K.
Spear, R. P.: *see* Patten, R. M.
Speck, U.: *see* Schmiedl, U.
Specter, B. B.: *Diagnostic imaging of infants and children*, 730
Staks, T., Schuhmann-Giampieri, G., Frenzel, T., Weinmann, H.-J., Lange, L., Platzek, J.: Pharmacokinetics, dose proportionality, and tolerability of gadobutrol after single intravenous injection in healthy volunteers, 709
Standen, J. R.: *see* Krupinski, E. A.
Stanford, W., Erkonen, W. E., Cassell, M. D., Moran, B. D., Easley, G., Carris, R. L., Albanese, M. L.: Evaluation of a computer-based program in teaching cardiac anatomy, 248
Stanford, W., Reiners, T. J., Thompson, B. H., Landas, S. K., Galvin, J. R.: Contrast-enhanced thin slice ultrafast computed tomography for the detection of small pulmonary emboli: Studies using autologous emboli in the pig, 184
Stanford, W.: *see* Dove, E. L.
Stanford, W.: *see* White, M. L.
Stauffer, N. R.: *see* Greenberg, S. B.
Stavros, A. T.: Author's response, 391
Steg, P. G.: *see* Feldman, L. J.
Steiner, R. M.: *see* Henschke, C. I.
Steiner, R. M.: *see* Rubin, G. D.
Stern, E. J., Webb, W. R., Gamsu, G.: Dynamic quantitative compute tomography: A Predictor of pulmonary function in obstructive lung diseases, 564
Stern, E. J.: *see* Frank, M. S.
Stiller, D.: *see* Gewiese, B.
Strandberg, J. D.: *see* Anderson, J. H.
Strauss, H. W.: *see* Castronovo, F. P., Jr.
Sugimura, H., Kisanuki, A., Tamura, S., Kihara, Y., Watanabe, K., Sumiyoshi, A.: Magnetic resonance imaging of bone marrow changes after irradiation, 35
Sumiyoshi, A.: *see* Sugimura, H.
Sundin, A., Ahlström, H., Graf, W., Magnusson, A.: Computed Tomography of Experimental Liver Metastases Using an Iodinated Hepatocyte-Specific Lipid Emulsion: A Correlative Study in the Nude Rat, 963
Sunshine, J. H.: *see* Deitch, C. H.
Suratt, P. M.: *see* Gay, S. B.
Suzuki, K., Yamashita, Y., Ohta, K., Chance, B.: Quantitative measurement of optical parameters in the breast using time-resolved spectroscopy: Phantom and preliminary in vivo results, 410
Svah, U.: *see* Thorstensen, Ö.

T

Takagi, M.: *see* Imamura, K.
Talner, L. B.: Editorial, 729
Talner, L. B.: The Association of Program Directors in Radiology: A beginning, 372
Talner, L. B., D'Agostino, H.: The Department of Radiology Quality Assessment Meeting: An unexpected teaching bonus, 378
Tamura, S.: *see* Kido, S.
Tamura, S.: *see* Sugimura, H.
Tang, W., Young, E., Detrano, R., Doherty, T., French, W., Brundage, B.: Reproducibility of digital subtraction fluoroscopic readings for coronary artery calcification, 147
Tang, W.: *see* Detrano, R.
Tarver, R.: *see* Don, S.
Tashijian, J. H.: *see* Engeler, C. E.
Taupman, R. E.: *see* Pisano, E. D.
Taylor, G. A., Hudak, M. L.: Color doppler ultrasound of changes in small vessel diameter and cerebral blood flow during acute anemia in the newborn lamb, 188
Terada, M.: *see* Kishi, K.
Terrier, F.: *see* Lazeyras, F.
'Radiology Committee', the: *see* Durand-Zaleski, I.
Thompson, B. H.: *see* Stanford, W.
Thomsen, H. S.: Trends in European radiologic education in 1993, 109
Thorn, B.: *see* Dell'Italia, L. J.
Thorstensen, Ö., Isberg, B., Svah, U., Jorulf, H., Venizelos, N., Jaremko, G.: Experimental tissue transplantation using a biopsy instrument and radiologic methods, 469
Thurmond, A. S.: *see* Ross, P. L.
Tomiyoshi, K.: *see* Ishizaka, H.
Tomoda, K., Hori, S., Nakamura, H., Hashimoto, T., Murakami, T., Tsuda, K., Ishida, T., Kozuka, T.: Transthoracic percutaneous ethanol injection into the liver, 839
Tompkins, P.: *see* Carroll, F. E.
Toro, V. E.: *see* Macura, R. T.
Towers, J. D.: *see* Chen, J.
Trillaud, H., Degrèze, P., Combe, C., Palussière, J., Chambon, C., Grenier, N.: Evaluation of intrarenal distribution of ultrasmall superparamagnetic iron oxide particles by magnetic resonance imaging and modification by furosemide and water restriction, 540
Trueblood, J. H.: *see* Brooks, K. W.
Trueblood, J. H.: *see* Macura, R. T.
Tsuda, K.: *see* Tomoda, K.

U

Uchida, B. T.: *see* Ross, P. L.
Ueda, A.: *see* Carroll, F. E.
Uetani, M.: *see* Ito, M.
Unger, E.: *see* Hynynen, K.
Unterweger, M., Debatin, J. F., Leung, D. A., Wildermuth, S., McKinnon, G. C., Von Schulthess, G. K.: Cardiac Volumetry: Comparison of Echoplanar and Conventional Cine-Magnetic Resonance Data-Acquisition Strategies, 994

V

Vandenberg, B. F.: *see* White, M. L.
Van Metter, R.: *see* Kool, L. J. S.

Vannier, M. W.: *see* Pilgram, T. K.
Van Proosdij, M.: *see* Kool, L. J. S.
Van Proosdij, M. P., Kool, L. J. S., Oestmann, J. W.: Superimposed peripheral pulmonary vasculature in anthropomorphic chest phantoms, 466
Vasile, N.: *see* Durand-Zaleski, I.
Veldee, M. S.: *see* Goodsitt, M. M.
Venizelos, N.: *see* Thorstensen, O.
Vetter, R. J.: *see* Brown, M. L.
Vexler, V.: *see* Cohen, F. M.
Vik, H.: *see* Andersen, K.-J.
Vogler, R.: *Gastrointestinal Radiology*, 122
Vonesh, M. J.: *see* Dove, E. L.
Von Schulthess, G. K.: *see* Unterweger, M.
Vrooman, H. A.: *see* Kool, L. J. S.
Vullo, T.: *see* Deo-Narine, V.

W

Waanders, N. A.: *see* Daniel, B. L.
Wagner, R. F.: *see* Garra, B. S.
Wagner, S.: Benign lymph node hyperplasia and lymph node metastases in rabbits: Animal models for magnetic resonance lymphography, 364
Wallace, S.: *see* Kan, Z.
Wallace, S.: *see* Li, C.
Wang, P.: *see* Carroll, F. E.
Wang, T.: *see* Shaw, C. C.
Warnock, N. G.: *see* Franken, E. A., Jr.
Wassef, M.: *see* Maubon, A.
Wasserman, N. F., Reddy, P. K.: Therapeutic alternatives to surgery for benign prostatic hyperplasia: Scientific foundations and techniques, 224
Watanabe, K.: *see* Sugimura, H.
Waters, J. W.: *see* Carroll, F. E.
Webb, W. R.: *see* Stern, E. J.
Wehrmann, D.: *see* Krause, W.
Weinmann, H.-J.: *see* Bauer, H.
Weinmann, H.-J.: *see* Mühler, A.
Weinmann, H.-J.: *see* Staks, T.
Weiss, R. M., Grover-McKay, M.: Assessment of coronary artery patency with cine computed tomography in a dog model of occlusion-reperfusion, 168
Weiss, R. M.: *see* White, M. L.
Weldner, P. W.: *see* McInerney, J. J.
Wells, I. P.: *see* Roobottom, C. A.
Wells, J. W.: *see* Runge, V. M.
Wendland, M. F.: *see* Lauerma, K.
Wendland, M. F.: *see* Saeed, M.
Westcott, J. L.: *see* Henschke, C. I.
Wexler, L.: *see* Levin, D. C.
Weymouth, T. E.: *see* Boes, J. L.
Whaley, R.: *Clinical magnetic resonance angiography*, 730
White, K., Berbaum, K., Smith, W. L.: The role of previous radiographs and reports in the interpretation of current radiographs, 263
White, M. L., Grover-McKay, M., Weiss, R. M., Vandenberg, B. F., Burns, T. L., Winniford, M. D., Stanford, W., McKay, C. R.: Prediction of change in mitral valve area after mitral balloon commissurotomy using cine computed tomography, 827
Wildermuth, S.: *see* Unterweger, M.
Willcott, R.: *see* Carroll, F. E.
Williams, N. M.: *see* Runge, V. M.
Williams, T. D., Holden, R. W.: Funding opportunities for young investigators in radiology, 1
Wilson, A. J.: *see* McEnery, K. W.
Wilson, A. J.: *see* Reinus, W. R.
Wilson, B. C.: *see* Malone, D. E.
Wilson, I. R.: *see* Hurrell, M. A.
Winchester, J.: *see* Garra, B. S.
Winfield, D., Silbiger, M., Brown, G. S., Clarke, L., Dwyer, S., Yaffe, M., Shtern, F.: Technology transfer in digital mammography: Report of the joint national cancer institute—National Aeronautics and Space Administration Workshop of May 19–20, 1993, 507
Winkler, T. A.: *see* Don, S.
Winniford, M. D.: *see* White, M. L.
Wisner, E.: *see* McGahan, J. P.
Wolf, G. L.: Letter to the Editor, 523
Wolf, K.-J.: *see* Gewiese, B.
Wolverson, M.: *see* Albert, S. G.
Wong, D. F.: *see* Anderson, J. H.
Woodhouse, C. E., Ney, D. R., Sitzmann, J. V., Fishman, E. K.: Spiral computed tomography arterial portography with three-dimensional volumetric rendering for oncologic surgery planning: A retrospective analysis, 1031
Wright, K. C.: *see* Kan, Z.
Wright, K. C.: *see* Li, C.
Wyman, D. R.: *see* Malone, D. E.

Y

Yaffe, M.: *see* Winfield, D.
Yamada, M.: *see* Ito, M.
Yamada, R.: *see* Kishi, K.
Yamashita, Y.: *see* Suzuki, K.
Yang, D. J.: *see* Li, C.
Yang, X., Manninen, H., Ji, H., Soimakallio, S.: Influence of carbon dioxide gas perfusion to thermal distribution of sapphire probe: A comparative study with saline, 553
Yang, X., Manninen, H., Soimakallio, S.: Comparison of angiographic opacification of ioxaglate and iodixanol by digital region-of-interest processing technique in an experimental circulation model, 31
Yao, L., Sayre, J. W.: Statistical concepts in the interpretation of serial bone densitometry, 928
Yedlicka, J. W., Jr.: *see* Bjarnason, H.
Yoshikawa, K.: *see* Hattori, H.
Young, E.: *see* Tang, W.
Young, S. W.: Event control, 590
Young, S. W., Sidhu, M. K., Qing, F., Muller, H. H., Neuder, M., Zanassi, G., Mody, T. D., Hemmi, G., Dow, W., Mutch, J. D., Sessler, J. L., Miller, R. A.: Preclinical evaluation of gadolinium (III) texaphyrin complex: A new paramagnetic contrast agent for magnetic resonance imaging, 330
Young, S. W.: *see* Rubin, D. L.
Yu, J. S.: *see* Abrahim-Zadeh, R.
Yu, K. K.: *see* Lauerma, K.
Yun, K.: *see* Pelc, L. R.

Z

Zanassi, G.: *see* Young, S. W.
Zeman, R. K.: *see* Garra, B. S.
Zerhouni, E. A.: *see* Bazille, A.
Zhan, X.: *see* Morettin, L. B.
Zhang, Y.: *see* Daniel, B. L.
Zheng, B.: *see* Chen, J.
Zhou, X.: *see* Arnder, L.
Zimmerman, R. D.: *see* Deo-Narine, V.
Zonneveld, F. W.: A decade of clinical three-dimensional imaging: A review: Part III. Image analysis and interaction, display options, and physical models, 716
Zonneveld, F. W., Fukuta, K.: A decade of clinical three-dimensional imaging: A review. Part 2: Clinical applications, 574
Zonneveld, F. W.: *see* Hemmy, D. C.
Zuckerman, D.: *see* Albert, S. G.

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 2, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1994; Title of Publication—*INVESTIGATIVE RADIOLOGY*; Frequency of Issue—Monthly; Annual Subscription Price—$179.00; Location of Known Office of Publication—12107 Insurance Way, Suite 114, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—J.B. Lippincott Company, East Washington Square, Philadelphia, PA 19106; Publisher—J.B. Lippincott Company, 227 East Washington Square, Philadelphia, PA 19106; Editor—Val M. Runge, MD, University of Kentucky Chandler Medical Center, Room 106 MRISC Bldg, Lexington, KY 40536-0098; Managing Editor—Todd Hummel, 227 East Washington Square, Philadelphia, PA 19106; Owner—J.B. Lippincott Company, 227 East Washington Square, Philadelphia, PA 19106; Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—Wolters Kluwer, U.S. Corporation, 1185 Avenue of the Americas, 37th Floor, New York, NY 10036. A. Total no. copies printed (*net press run*), average 3192, actual 2800; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 2322, actual 2263; C. Total paid circulation, average 2322, actual 2263; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 683, actual 160; E. Total distribution (*sum of C and D*), average 3005, actual 2423; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 187, actual 377. Returns from news agents, none; G. Total (*sum of E and F—should equal net press run shown in A*), average 3192, actual 2800. I certify that the statements made by me above are correct and complete. Virginia B. Martin, *Vice President, Journals.*